



**BEHAVIORAL RISK FACTOR
SURVEILLANCE SYSTEM (BRFSS):
CHICAGO REFERENCE TABLES**



**Office of Epidemiology
Department of Public Health
City of Chicago**

Behavioral Risk Factor Surveillance System (BRFSS): Chicago Reference Tables

Girma Woldemichael, Sc.D.

Kirsti A. Bocskay, Ph.D., M.P.H.

Sandra D. Thomas, M.D., M.S.

Terry Mason, M.D., F.A.C.S., Commissioner, Department of Public Health, City of Chicago

Copyright Information

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

Suggested Citation

Woldemichael G, Bocskay KA, Thomas SD. Behavioral Risk Factor Surveillance System (BRFSS): Chicago Reference Tables. Health Status Index Series Vol. XV No. V. Chicago, Illinois: Chicago Department of Public Health Office of Epidemiology, 2006.

PREFACE

This year's edition of the Behavioral Risk Factor Surveillance System Chicago Reference Tables marks a significant change in organization and content. Each BRFSS variable/question has its own page, allowing for stratification by selected demographics, i.e. race, ethnicity, sex, and age. A summary of health risk factors and chronic conditions for Chicago is also presented along with comparisons to Illinois and US levels. We hope that this report and the additions and revisions within will prove helpful in developing effective interventions for improving the health and well-being of Chicagoans. We welcome any questions, comments, or suggestions for improvements. Please contact:

Office of Epidemiology
Chicago Department of Public Health
DePaul Center, Room 2137
333 South State Street
Chicago, Illinois 60604-3972
(312) 747-9810

CONTENTS

Introduction and Methods.....	1	Cholesterol Awareness.....	27
Demographics.....	4	Had Cholesterol Checked	
Health Risk Factors and Chronic Conditions.....	6	Ever Told Had High Cholesterol	
Health Status.....	7	Colorectal Cancer Screening.....	29
Perception of Health		Ever Had Blood Stool Test	
Physical Health Not Good		Ever Had Sigmoidoscopy or Colonoscopy	
Mental Health Not Good		Prostate Cancer Screening.....	31
Kept from Usual Activities Due to Poor Health		Ever Had PSA Test	
Health and Energy		Ever Had Digital Rectal Exam	
Depression		Women's Health.....	33
Activities Limited Due to Health Problems		Ever Had Mammogram	
Special Equipment Use		Ever Had Clinical Breast Exam	
Health Care Access.....	15	Ever Had Pap Smear	
Health Care Coverage		Ever Had Osteoporosis Screening	
Personal Doctor or Health Care Provider		Ever Diagnosed with Osteoporosis	
Ever Received Service from Health Department		Diabetes.....	38
Prevented from Seeing Doctor Due to Cost		Ever Diagnosed with Diabetes	
Prevented from Filling Prescription Due to Cost		Frequency of Feet Check	
Veteran's Status.....	20	Frequency of Blood Glucose/Sugar Check	
Active Duty in U.S. Armed Forces		Last Dilation of Pupils	
U.S. Military Service		Asthma.....	40
Received Health Care from VA Facility		Asthma Symptoms	
Oral Health.....	21	Ever Diagnosed with Asthma	
Last Visit to Dentist/Dental Clinic		Still Have Asthma	
Last Teeth Cleaning		Asthma Medication	
Reason for Not Visiting Dentist		Arthritis.....	43
Dental Coverage		Joint Symptoms	
Hypertension Awareness.....	25	Sought Help for Joint Symptoms	
Told Blood Pressure High		Joint Status	
Taking Medication for High Blood Pressure		Limitations Due to Arthritis/Joint Symptoms	
		Arthritis/Joint Symptoms Affect Work	

HIV/AIDS.....	47	Nutrition.....	71
Fetal Transmission of HIV		Drinking Fruit Juice	
HIV Treatment		Eating Salad	
Importance of HIV Testing		Eating Vegetables	
Ever Tested for HIV		Physical Activity.....	74
Reason for HIV Test		Any Physical Activity/Exercise	
Location of HIV Test		Work Activities	
Risk of AIDS		Physical Activity Criteria	
Talked About Condoms Preventing STDS		Injury Prevention.....	77
Alcohol Consumption.....	55	Frequency of Seatbelt Use	
Frequency of Alcohol Consumption		Firearms.....	78
Average Number of Drinks per Day		Firearms in Home	
Frequency of Drinking 5 or More Drinks		Firearms Loaded	
Chronic Drinking Risk		Loaded Firearms Unlocked	
Binge Drinking Risk		Falls.....	80
Drinking and Driving Risk		Fell in Past 3 Months	
Tobacco Use.....	61	Injured From Fall	
Smoked 100 Cigarettes in Lifetime		Excess Sun Exposure.....	81
Smoking Status		Sunburn	
Smoking Rules Inside Home		Frequency of Sunburns	
Trying to Quit Smoking			
Advised to Quit Smoking			
Weight Control.....	64		
Body Mass Index (BMI)			
Advice about Weight			
Lose Weight			
Maintain Weight			

WHAT IS THE BRFSS?

The Behavioral Risk Factor Surveillance System (BRFSS) is a collaboration between the U.S. Centers for Disease Control and Prevention (CDC) and state health departments. This system was designed to gather locally relevant information on health related behaviors related to the leading causes of death in the U.S. It has expanded to include data on the prevalence of selected health conditions, and access to health services. Each state has options for sample design and data collection within parameters set by the CDC.

METHODS - SURVEY SYSTEM

The BRFSS is a telephone based survey system of non-institutionalized adults. The survey is in the field on a continual basis. A probability sample of telephone numbers is generated on a quarterly basis, and provides the sampling frame for identifying eligible households. States conduct interviews during each month in accordance with a prescribed protocol, and incorporate surveillance results into computer files. States edit and correct completed interviews each month. Data are aggregated and tabulated on an annual basis. Illinois is stratified into 5 regions: Chicago, suburban Cook County, Collar Counties, other Urban Counties, and Rural Counties. The sampling process described above is performed within each region during the data collection phase.

METHODS - SURVEY INSTRUMENT

The BRFSS survey instrument is organized in a modular fashion. The five sections are:

1. Fixed Core
2. Two Rotating Cores
3. Optional Modules
4. Emerging Core
5. State-Added Questions

The fixed core is used in all states every year, the rotating cores are used in all states in an alternating fashion- one form is used for odd numbered years, the other form is used for even numbered years. The rotating cores are used in all states. Optional modules are standardized sets of questions on a wide variety of issues available for states to use based on their needs. The emerging core is used to add questions of topical interest, and to evaluate questions for potential use in future surveys. State-Added questions are unique to each jurisdiction and can be used to cover questions that are not addressed elsewhere in the survey.

Since 1994, the BRFSS in Illinois has varied from the standard methodology by using two forms of the questionnaire - respondents are randomly allocated to either form. One form of the questionnaire contains the rotating core for the current year and the alternate form contains the rotating core for the previous year.

METHODS - WEIGHTING

The data are weighted prior to tabulation and analysis. Weighting data corrects for study design features and variation of the age/race/sex subgroups between the sample and the general population. Weighting allows inferences to be drawn about the entire adult population from the sample of interview respondents. Region-specific weights are developed post-collection. These techniques allow valid statistics to be generated for each region, in addition to statewide statistics.

METHODS - CHICAGO ANALYSES

The data for the analyses presented in this volume are extracted from BRFSS files provided by the Illinois Department of Public Health for Chicago. Each questionnaire item was examined for non-response or non-valid response percentages. All items included in this report were found to have sufficient valid response rates for further analysis. Frequency tables with percentages were generated for each item. Percentages were based on the universe of valid responses, not the entire respondent pool. Since Chicago has a much smaller sample size than the statewide sample, responses for many items were collapsed into categories (based on literature review and local needs) to improve the validity and stability of the estimates. The response categories used in this volume may vary from other reports that use BRFSS data. Data are weighted with the appropriate local weights, except when weighting is not possible due to limited sample size.

DATA PRESENTATION

This volume is organized into sections containing related survey questions. The text for each question is presented, and the skip pattern is defined (for relevant questions). The weighted percent and frequency, and number in the sample for each response category for the question are then listed. For questions that were not asked of the entire sample, the frequencies reported will not total to the (estimated) Chicago adult population. Due to rounding, the reported frequencies for a question may not total to 100 percent. If sufficient numbers are available, responses will be stratified by gender, age, race/ethnicity, education, income and/or employment, and presented in tabular form.

DEMOGRAPHICS

	NUMBER IN SAMPLE	WEIGHTED PERCENT	WEIGHTED FREQUENCY
SEX			
Female	536	52.2	1,021,226
<i>Pregnant</i>			
Yes	23	8.4	46,429
No	258	91.6	505,923
Male	361	47.8	936,303
AGE			
18-24	84	14.2	277,660
25-44	406	43.6	852,878
45-64	271	27.2	532,682
65+	136	15	294,309
AGE 40			
< 40	389	47.1	922,627
40-64	372	37.8	740,593
65+	136	15	294,309
AGE 50			
< 50	567	65.3	1,278,578
50-64	194	19.6	384,642
65+	136	15	294,309
RACE/ETHNICITY			
Hispanic	180	28	547,695
Non-Hispanic	716	72	1,407,866
Black	318	37.8	740,434
Other*	66	8.1	159,448
White	513	54	1,057,647
RACE			
Non-White	384	46	899,882
White	513	54	1,057,647
MARITAL STATUS			
Divorced/separated	152	14.2	276,529
Married	341	42.7	831,550
Never married	291	30.6	596,510
Unmarried couple	34	4.3	83,681
Widowed	75	8.2	159,777

*Includes persons who identified themselves as Asian/Pacific Islander, Native American, Other Race or Multiple Race.

DEMOGRAPHICS

	NUMBER IN SAMPLE	WEIGHTED PERCENT	WEIGHTED FREQUENCY
NUMBER OF ADULTS			
One	354	22.8	444,970
Two	382	43.9	856,022
Three or more	160	33.3	650,922
NUMBER OF CHILDREN			
None	566	56.7	1,108,856
One	144	19.1	374,223
Two or more	186	24.2	472,882
HOUSEHOLD TYPE			
One adult, no children	281	18	352,254
One adult, child/ren	73	4.7	92,716
> 1 adult, no children	285	38.7	756,602
> 1 adult, child/ren	258	38.6	755,957
EDUCATION			
Less than high school	136	19.6	382,144
High school graduate/GED	201	26.1	509,641
Some college/technical school	215	23.5	459,157
College graduate	342	30.8	601,629
EMPLOYMENT			
Employed	566	61.1	1,192,895
Homemaker/student	90	12.3	239,366
Retired/unable to work	175	19.4	378,804
Unemployed	63	7.2	141,054
HOUSEHOLD INCOME			
Less than \$15,000	108	16.9	285,789
\$15,000-24,999	171	23.2	391,165
\$25,000-49,999	234	30.2	509,650
\$50,000-74,999	123	14.7	248,322
More than \$75,000	137	14.9	252,010
HOUSEHOLD INCOME 2			
Less than \$15,000	108	16.9	285,789
\$15,000-34,999	297	40.7	685,979
\$35,000-49,999	108	12.7	214,836
More than \$50,000	260	29.7	500,332
PHONE STATUS			
Been without phone service for 1 week or more during past 12 months	57	7.2	139,920

HEALTH RISK FACTORS AND CHRONIC CONDITIONS

RISK FACTOR/CHRONIC CONDITION	CHICAGO (95% CI)		COMPARE TO:	
			ILLINOIS	UNITED STATES
General health status is poor	4.3	(2.5, 6.2)	4.1	3.9
No health care coverage	22.3	(18.4, 26.1)	15.2	14.5
Have not visited a dentist in past 12 months	30.8	(24.9, 36.7)	28.8	NA
Told blood pressure high	28.2	(24.4, 32)	25.9	24.8
Told cholesterol high	30.6	(26.1, 35.1)	34.1	33.1
No colorectal cancer screening (Ages 50 and older)	55.9	(45, 66.8)	55.8	NA
No prostate cancer screening (Males age 40 and older)	43.7	(30.1, 57.2)	41.4	NA
Never had a mammogram (Females age 40 and older)	4.9	(0.9, 8.9)	9.3	NA
Never had a Pap smear	6.9	(2.8, 11)	6.4	NA
Diagnosed with osteoporosis	5.9	(3.2, 8.7)	7.4	NA
Diagnosed with diabetes	9.6	(7.1, 12.1)	7.5	7.2
Have asthma symptoms or asthma	11.1	(8.6, 13.7)	11.1	11.7
Have joint symptoms or arthritis	21	(16.5, 25.4)	23.9	NA
Unaware that treatment during pregnancy can reduce HIV transmission to fetus	18	(12.2, 23.9)	24.7	NA
Unaware that medical treatments can help persons infected with HIV to live longer	3.9	(1.4, 6.5)	3.8	NA
At risk of contracting HIV or developing AIDS	5.1	(2.9, 7.2)	3.5	NA
Binge drinking risk (5 or more drinks at one time)	19	(15.5, 22.4)	17.1	16.5
Chronic drinking risk (2 or more drinks daily)	5.4	(3.3, 7.5)	4.6	5.8
Drinking and driving risk	3.2	(1.5, 4.8)	2.5	NA
Current cigarette smoker	24.4	(20.7, 28.1)	22.2	22
Overweight or obese (BMI > 25)	63.1	(59, 67.3)	59	NA
Not meeting suggested physical activity guidelines	35.6	(31.5, 39.6)	42	NA
Seldom or never wear seatbelt	19.3	(14.5, 24.1)	21.4	NA
Firearms in home	11	(6.6, 15.3)	21.7	NA
Injured from fall	41.7	(15.3, 68.2)	31.7	NA

*Values shown are percents (%) weighted to the appropriate population for each jurisdiction.
NA = Data not available for 2003.

PERCEPTION OF HEALTH

Would you say that in general your health is: excellent, very good, good, fair or poor?

			NUMBER IN SAMPLE WHO RESPONDED "FAIR" OR "POOR"	WEIGHTED PERCENT	95% CI
		TOTAL	164	19.3	16, 22.6
		GENDER			
	WEIGHTED PERCENT	Female	100	20.9	16.3, 25.5
		Male	64	17.4	12.7, 22.1
		AGE			
EXCELLENT	17.4	18-24	6	6.1	0.8, 11.5
VERY GOOD	28.7	25-44	45	12.7	8.5, 16.8
GOOD	34.6	45-64	58	22.3	15.9, 28.6
FAIR	14.9	65+	55	45.4	34.7, 56.1
POOR	4.3				
		ETHNICITY			
	WEIGHTED FREQUENCY	Hispanic	50	25.6	17.9, 33.2
EXCELLENT	340,912	Non-Hispanic	114	16.8	13.3, 20.3
VERY GOOD	562,235	RACE			
GOOD	676,261	Black	84	27.8	21.5, 34
FAIR	291,608	White	72	14.7	10.8, 18.6
POOR	85,075	HOUSEHOLD TYPE			
		One adult, no children	60	26.4	19.7, 33
		One adult, child/ren	18	26.7	15.6, 37.9
		> 1 adult, no children	48	19.6	13.8, 25.4
		> 1 adult, child/ren	38	14.7	9.5, 19.8
		INCOME			
		Less than \$15,000	37	35.8	24, 47.7
		\$15,000-24,999	50	27.2	19.3, 35.2
		\$25,000-49,999	34	14.7	9.2, 20.2
		\$50,000-74,999	11	9.5	3.3, 15.7
		More than \$75,000	5	2.6	0.1, 5
TOTAL IN SAMPLE	896				

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

PHYSICAL HEALTH NOT GOOD

Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO RESPONDED "1-30 DAYS"	WEIGHTED PERCENT	95% CI
NONE	64.3	TOTAL	324	35.7	31.7, 39.7
1-7 DAYS	21.5	GENDER			
8-30 DAYS	14.2	Female	214	41.9	36.5, 47.3
		Male	110	29.1	23.3, 34.8
		AGE			
		18-24	29	36.6	24.1, 49.2
		25-44	133	30.2	24.7, 35.7
		45-64	105	38.9	31.3, 46.6
		65+	57	45.2	34.5, 55.9
		ETHNICITY			
		Hispanic	42	22.4	15.3, 29.6
		Non-Hispanic	282	41	36.3, 45.6
		RACE			
		Black	126	40.4	33.5, 47.4
		White	178	34.2	28.9, 39.5
		HOUSEHOLD TYPE			
		One adult, no children	117	45.4	38.3, 52.5
		One adult, child/ren	29	41.6	29.2, 54.1
		> 1 adult, no children	104	37.2	30.3, 44.1
		> 1 adult, child/ren	74	29.1	22.4, 35.7
		INCOME			
		Less than \$15,000	45	39.9	28, 51.8
		\$15,000-24,999	59	35.1	26, 44.1
		\$25,000-49,999	80	33.1	25.6, 40.7
		\$50,000-74,999	54	41.4	30.2, 52.7
		More than \$75,000	44	31	21.1, 40.9
TOTAL IN SAMPLE	888				

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

MENTAL HEALTH NOT GOOD

Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

		NUMBER IN SAMPLE WHO RESPONDED "1-30 DAYS"	WEIGHTED PERCENT	95% CI	
		TOTAL	311	32.2	28.2, 36.1
		GENDER			
		Female	200	34.2	29.2, 39.2
		Male	111	30	23.8, 36.1
		AGE			
		18-24	34	37.3	24.8, 49.8
		25-44	159	36.6	30.5, 42.7
		45-64	90	29.2	22.4, 35.9
		65+	28	19.7	11.5, 27.9
		ETHNICITY			
		Hispanic	51	26.7	18.7, 34.7
		Non-Hispanic	259	34.3	29.8, 38.7
		RACE			
		Black	111	35.2	28.5, 41.9
		White	176	30	24.9, 35.2
		HOUSEHOLD TYPE			
		One adult, no children	106	36.5	29.7, 43.4
		One adult, child/ren	30	38.4	26.3, 50.5
		> 1 adult, no children	87	30.3	23.7, 36.8
		> 1 adult, child/ren	88	31.3	24.3, 38.2
		INCOME			
		Less than \$15,000	37	30.1	19.4, 40.9
		\$15,000-24,999	62	36.7	27.7, 45.8
		\$25,000-49,999	76	28.1	20.7, 35.5
		\$50,000-74,999	58	45.1	33.3, 56.9
		More than \$75,000	44	29.6	20, 39.3
	WEIGHTED PERCENT				
NONE	67.8				
1-7 DAYS	21.7				
8-30 DAYS	10.4				
	WEIGHTED FREQUENCY				
NONE	1,309,584				
1-7 DAYS	419,595				
8-30 DAYS	201,693				
TOTAL IN SAMPLE	886				

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

HEALTH AND ENERGY

During the past 30 days, for about how many days have you felt very healthy and full of energy? (B)

		NUMBER IN SAMPLE WHO RESPONDED "30 DAYS"	WEIGHTED PERCENT	95% CI
	WEIGHTED PERCENT			
NONE	10.8			
1-15 DAYS	23.2			
16-29 DAYS	29			
30 DAYS	37			
	WEIGHTED FREQUENCY			
NONE	204,101			
1-15 DAYS	438,406			
16-29 DAYS	549,951			
30 DAYS	701,279			
TOTAL IN SAMPLE	429			
	TOTAL	154	37	31, 43.1
	GENDER			
	Female	82	32.4	25.1, 39.8
	Male	72	41.9	32.2, 51.6
	AGE			
	18-24	12	28.1	11.6, 44.6
	25-44	75	42.1	33, 51.2
	45-64	49	37.3	25.7, 49
	65+	18	30.1	15.4, 44.8
	ETHNICITY			
	Hispanic	55	53.9	40.8, 66.9
	Non-Hispanic	99	30.3	23.7, 36.9
	RACE			
	Black	50	36.4	25.8, 46.9
	White	92	35.8	28.3, 43.2
	HOUSEHOLD TYPE			
	One adult, no children	45	34.3	25.2, 43.5
	One adult, child/ren	9	28.9	11.4, 46.3
	> 1 adult, no children	47	34.7	24.1, 45.2
	> 1 adult, child/ren	53	41.8	31, 52.7
	INCOME			
	Less than \$15,000	15	41.2	19.6, 62.8
	\$15,000-24,999	31	31.3	19.8, 42.7
	\$25,000-49,999	50	39.2	28.3, 50
	\$50,000-74,999	14	37.6	19.7, 55.4
	More than \$75,000	18	36.3	17.5, 55

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

DEPRESSION

During the past 30 days, for about how many days have you felt sad, blue, or depressed? (B)

	NUMBER IN SAMPLE WHO RESPONDED "1-30 DAYS"	WEIGHTED PERCENT	95% CI
TOTAL	235	52.3	46.1, 58.6
GENDER			
Female	153	61.4	53.6, 69.2
Male	82	42.9	33.2, 52.6
AGE			
18-24	32	72.2	55.6, 88.8
25-44	100	49.6	40.4, 58.7
45-64	77	52.3	40.5, 64.2
65+	26	39.9	24.4, 55.3
ETHNICITY			
Hispanic	44	41.5	29, 54
Non-Hispanic	191	56.6	49.7, 63.6
RACE			
Black	76	56.6	45.6, 67.5
White	145	49.7	41.8, 57.6
HOUSEHOLD TYPE			
One adult, no children	85	53.2	43.8, 62.7
One adult, child/ren	21	68.5	50.4, 86.7
> 1 adult, no children	67	55.4	44.6, 66.2
> 1 adult, child/ren	62	46.8	35.8, 57.8
INCOME			
Less than \$15,000	23	57.8	34.7, 80.9
\$15,000-24,999	50	59	46.4, 71.7
\$25,000-49,999	71	50.1	38.5, 61.6
\$50,000-74,999	35	59.6	42.2, 77
More than \$75,000	23	41.2	22.6, 59.8

	WEIGHTED PERCENT
NONE	47.7
1-7 DAYS	35
8-30 DAYS	17.4
	WEIGHTED FREQUENCY
NONE	903,920
1-7 DAYS	662,867
8-30 DAYS	329,645
TOTAL IN SAMPLE	434

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

ACTIVITES LIMITED DUE TO HEALTH PROBLEMS

The following questions are about health problems or impairments you may have. Are you limited in any way in any activities because of physical, mental or emotional problems? (A)

		NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI	
		TOTAL	77	16.6	12.5, 20.8
		GENDER			
		Female	53	19.5	13.9, 25.2
		Male	24	13.5	7.4, 19.6
		AGE			
		18-24	*	*	*
		25-44	24	10.5	5.8, 15.2
		45-64	31	29	18.6, 39.4
		65+	20	25.1	13.1, 37.1
		ETHNICITY			
		Hispanic	12	11.4	4.7, 18
		Non-Hispanic	65	18.6	13.5, 23.7
		RACE			
		Black	30	17	10.1, 23.9
		White	43	17.3	11.5, 23.1
		HOUSEHOLD TYPE			
		One adult, no children	25	23.1	13.9, 32.3
		One adult, child/ren	7	17.2	4.8, 29.7
		> 1 adult, no children	28	17.7	10.5, 24.8
		> 1 adult, child/ren	17	12.8	6.3, 19.3
		INCOME			
		Less than \$15,000	19	25	13.3, 36.8
		\$15,000-24,999	14	16.3	6.7, 26
		\$25,000-49,999	19	16.9	8.5, 25.2
		\$50,000-74,999	6	14.6	1.9, 27.4
		More than \$75,000	9	11.2	2.7, 19.7

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

SPECIAL EQUIPMENT USE

Do you have any health problem that requires you to use special equipment, such as a cane, wheelchair, special bed, or a special telephone? (A)

	WEIGHTED PERCENT	NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
TOTAL		28	5.9	3.4, 8.4
GENDER				
Female		23	8.3	4.5, 12.2
Male		*	*	*
AGE				
18-24		*	*	*
25-44		6	2.9	0.2, 5.5
45-64		11	9.6	3, 16.1
65+		11	13	4.7, 21.3
ETHNICITY				
Hispanic		*	*	*
Non-Hispanic		26	7.1	4, 10.3
RACE				
Black		14	6	2.4, 9.7
White		13	6.3	2.5, 10.2
HOUSEHOLD TYPE				
One adult, no children		12	12.3	4.8, 19.7
One adult, child/ren		*	*	*
> 1 adult, no children		6	4.3	0.6, 8.1
> 1 adult, child/ren		6	4.2	0.6, 7.9
INCOME				
Less than \$15,000		7	9.6	1.7, 17.5
\$15,000-24,999		6	5.1	0.4, 9.7
\$25,000-49,999		6	5.5	0.9, 10.1
\$50,000-74,999		*	*	*
More than \$75,000		*	*	*

*Count, percent and 95% CI suppressed because count is 5 or less

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

HEALTH CARE COVERAGE

Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO RESPONDED "NO"	WEIGHTED PERCENT	95% CI
		TOTAL	164	22.3	18.4, 26.1
		GENDER			
		Female	90	17.8	13.6, 21.9
		Male	74	26.8	20.4, 33.1
		AGE			
YES	77.7	18-24	26	33.2	20.6, 45.7
NO	22.3	25-44	78	25.7	19.6, 31.7
		45-64	51	18.8	12.5, 25.2
		65+	9	7.6	1.8, 13.4
		ETHNICITY			
YES	1,514,814	Hispanic	71	46.7	37.5, 56
NO	433,973	Non-Hispanic	93	12.7	9.6, 15.8
		RACE			
		Black	65	24.4	17.8, 30.9
		White	86	20.5	15.5, 25.4
		HOUSEHOLD TYPE			
		One adult, no children	40	13.4	8.8, 17.9
		One adult, child/ren	16	23	12.2, 33.8
		> 1 adult, no children	52	20.5	14.5, 26.5
		> 1 adult, child/ren	56	27.6	20.4, 34.8
		INCOME			
		Less than \$15,000	38	37.7	25.6, 49.9
		\$15,000-24,999	55	35.6	26.1, 45.1
		\$25,000-49,999	31	14.2	7.8, 20.5
		\$50,000-74,999	*	*	*
		More than \$75,000	*	*	*

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

PERSONAL DOCTOR OR HEALTH CARE PROVIDER

Do you have one person you think of as your personal doctor or health care provider? (A)

		NUMBER IN SAMPLE WHO RESPONDED "NO"	WEIGHTED PERCENT	95% CI
		95	26.4	20.8, 32.1
	TOTAL			
	GENDER			
	Female	41	17.4	11.3, 23.6
	Male	54	36.2	26.9, 45.5
	AGE			
	18-24	17	49.2	30.3, 68
	25-44	55	33.9	25.2, 42.7
	45-64	19	14.8	6.7, 23
	65+	*	*	*
	ETHNICITY			
	Hispanic	29	45.9	32.7, 59.2
	Non-Hispanic	66	19.3	14.1, 24.6
	RACE			
	Black	35	23	14.4, 31.5
	White	51	28.9	20.7, 37
	HOUSEHOLD TYPE			
	One adult, no children	22	16.6	9.1, 24.1
	One adult, child/ren	7	21.9	6.5, 37.3
	> 1 adult, no children	28	23.1	14.5, 31.6
	> 1 adult, child/ren	38	34.5	24, 45
	INCOME			
	Less than \$15,000	23	37.8	22.9, 52.7
	\$15,000-24,999	22	32.1	18.2, 46
	\$25,000-49,999	14	14.3	5.5, 23.1
	\$50,000-74,999	13	26.1	10.5, 41.7
	More than \$75,000	13	24	10, 38

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER RECEIVED SERVICE FROM HEALTH DEPARTMENT

Hve you or has anyone in your household ever received a service provided by the health department in your county? (B)

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
YES	21.3	TOTAL	71	21.3	15.7, 26.8
NO	78.7	GENDER			
		Female	45	27.2	18.9, 35.5
		Male	26	14.9	8.2, 21.7
		AGE			
		18-24	9	23.4	7.5, 39.4
		25-44	26	16.9	9.6, 24.1
		45-64	24	19.7	10.9, 28.5
		65+	12	36.5	16.6, 56.4
		ETHNICITY			
		Hispanic	22	29.6	16.2, 43.1
		Non-Hispanic	49	18.7	12.7, 24.8
		RACE			
		Black	31	25.7	15.6, 35.7
		White	36	19.1	12.4, 25.9
		HOUSEHOLD TYPE			
		One adult, no children	24	23.2	14, 32.4
		One adult, child/ren	8	35.9	14.8, 57
		> 1 adult, no children	18	16.5	8.3, 24.8
		> 1 adult, child/ren	21	23.4	12.4, 34.4
		INCOME			
		Less than \$15,000	12	37.3	12.5, 62.1
		\$15,000-24,999	18	22	11, 33.1
		\$25,000-49,999	23	25.8	15.2, 36.4
		\$50,000-74,999	*	*	*
		More than \$75,000	*	*	*
TOTAL IN SAMPLE	347				

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

PREVENTED FROM SEEING DOCTOR DUE TO COST

Was there a time in the past 12 months when you needed to see a doctor but could not because of the cost?

		NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
	TOTAL	120	13.5	10.6, 16.3
	GENDER			
	Female	77	14.6	10.8, 18.4
	Male	43	11.9	7.8, 16
	AGE			
	18-24	16	16.9	7.8, 26
	25-44	58	15.8	11.2, 20.4
	45-64	39	12.2	7.7, 16.8
	65+	7	4.9	0.1, 9.8
	ETHNICITY			
	Hispanic	27	15.8	9.5, 22.1
	Non-Hispanic	93	12.4	9.4, 15.4
	RACE			
	Black	43	13.4	9.6, 17.1
	White	64	12.7	8, 17.4
	HOUSEHOLD TYPE			
	One adult, no children	32	10.3	6.3, 14.3
	One adult, child/ren	13	17.1	7.9, 26.3
	> 1 adult, no children	45	16.3	11.1, 21.6
	> 1 adult, child/ren	30	11.2	6.8, 15.7
	INCOME			
	Less than \$15,000	26	19.5	10.7, 28.4
	\$15,000-24,999	36	21	13.2, 28.8
	\$25,000-49,999	33	13	8.1, 17.9
	\$50,000-74,999	*	*	*
	More than \$75,000	6	7.2	0.8, 13.6

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

PREVENTED FROM FILLING PRESCRIPTION DUE TO COST

Was there a time in the past 12 months when you needed to fill a prescription for medication but could not because of the cost? (B)

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
		TOTAL	55	14.2	9.6, 18.7
		GENDER			
		Female	37	18.6	11.5, 25.8
		Male	18	9.4	4.4, 14.4
		AGE			
YES	14.2	18-24	*	*	*
NO	85.8	25-44	22	14.4	7.4, 21.4
		45-64	23	16.1	8.1, 24.2
		65+	6	15.1	0.1, 30.1
		ETHNICITY			
YES	272,216	Hispanic	14	14.7	6.4, 23.1
NO	1,650,198	Non-Hispanic	41	13.9	8.5, 19.3
		RACE			
		Black	25	21.1	11.5, 30.8
		White	26	10.4	5.7, 15.1
		HOUSEHOLD TYPE			
		One adult, no children	13	8.2	2.9, 13.6
		One adult, child/ren	7	18.6	4.7, 32.6
		> 1 adult, no children	19	16.5	8.2, 24.7
		> 1 adult, child/ren	16	14.3	6.4, 22.2
		INCOME			
		Less than \$15,000	12	34.4	13.1, 55.8
		\$15,000-24,999	25	32.3	19.9, 44.7
		\$25,000-49,999	10	7.2	1.7, 12.7
		\$50,000-74,999	*	*	*
		More than \$75,000	*	*	*
TOTAL IN SAMPLE	439				

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

VETERAN'S STATUS

Have you ever served on active military duty in the United States Armed Forces, either in the regular military or in a national Guard or military reserve unit? (A)

	WEIGHTED PERCENT
YES	12.7
NO	87.3
	WEIGHTED FREQUENCY
YES	254,341
NO	1,755,343
TOTAL IN SAMPLE	454

Which of the following best describes your service in the United States military: currently on active duty, currently in a National Guard or Reserve unit, retired from military service, medically discharged from military service, or discharged from military service? (A)

For respondents who answered "Yes" to having ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

	WEIGHTED PERCENT
CURRENTLY SERVING	*
RETIRED OR DISCHARGED	93.9
	WEIGHTED FREQUENCY
CURRENTLY SERVING	*
RETIRED OR DISCHARGED	238,876
TOTAL IN SAMPLE	46

*Count, percent and 95% CI suppressed because count is 5 or less .

In the last 12 months have you received some or all of your health care from VA facilities? (A)

For respondents who answered "Yes" to having ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit and are not currently on active duty or in a National Guard or Reserve unit.

	WEIGHTED PERCENT
YES	14.4
NO	85.6
	WEIGHTED FREQUENCY
YES	34,055
NO	201,764
TOTAL IN SAMPLE	43

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

LAST VISIT TO DENTIST/DENTAL CLINIC

How long has it been since you visited a dentist or a dental clinic? (B)

			NUMBER IN SAMPLE WHO RESPONDED "MORE THAN ONE YEAR"	WEIGHTED PERCENT	95% CI
		TOTAL	115	30.8	24.9, 36.7
		GENDER			
	WEIGHTED PERCENT	Female	65	30.2	22.7, 37.7
		Male	50	31.8	22.4, 41.3
		AGE			
≤ 1 YEAR	69.2	18-24	11	30.2	12.5, 47.9
1-2 YEARS	13	25-44	46	26.8	18.1, 35.4
> 2 YEARS/NEVER	17.8	45-64	35	32.5	21, 43.9
		65+	23	43.8	28.1, 59.5
	WEIGHTED FREQUENCY	ETHNICITY			
≤ 1 YEAR	1,324,774	Hispanic	28	37.6	24.1, 51.1
1-2 YEARS	248,175	Non-Hispanic	87	28.3	22.1, 34.5
> 2 YEARS/NEVER	341,648	RACE			
		Black	41	34.1	23.1, 45
		White	66	29.6	22, 37.2
		HOUSEHOLD TYPE			
		One adult, no children	35	26.3	17.9, 34.8
		One adult, child/ren	6	20.2	4.4, 36.1
		> 1 adult, no children	40	38.7	27.8, 49.6
		> 1 adult, child/ren	34	27	16.9, 37
		INCOME			
		Less than \$15,000	21	52.5	31, 73.9
		\$15,000-24,999	30	39.4	26, 52.8
		\$25,000-49,999	26	23.8	13.4, 34.3
		\$50,000-74,999	9	18.7	5.9, 31.4
		More than \$75,000	7	16.1	2.9, 29.2
TOTAL IN SAMPLE	438				

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

LAST TEETH CLEANING

How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist? (B)

		NUMBER IN SAMPLE WHO RESPONDED “ONE OR MORE YEARS”	WEIGHTED PERCENT	95% CI
	TOTAL	130	35.3	29.2, 41.3
	GENDER			
	Female	60	32.1	24.6, 39.5
	Male	70	38.4	28.9, 48
	AGE			
	18-24	9	26.2	9.4, 43
	25-44	51	30	21.3, 38.7
	45-64	44	40	28.1, 51.9
	65+	26	52.2	36.8, 67.5
	ETHNICITY			
	Hispanic	32	44	30.8, 57.2
	Non-Hispanic	98	31.6	25.3, 38
	RACE			
	Black	48	37.5	26.2, 41.7
	White	73	33.9	26.7, 48.2
	HOUSEHOLD TYPE			
	One adult, no children	40	33.8	24.5, 43
	One adult, child/ren	10	37.3	18.1, 56.5
	> 1 adult, no children	43	38.9	28.1, 49.7
	> 1 adult, child/ren	37	32.1	21.4, 42.7
	INCOME			
	Less than \$15,000	22	63.5	42.6, 84.4
	\$15,000-24,999	36	45.1	32.1, 58.1
	\$25,000-49,999	30	26.2	15.9, 36.5
	\$50,000-74,999	12	30.6	13.1, 48.2
	More than \$75,000	8	16.7	3.4, 29.9
	WEIGHTED PERCENT			
< 1 YEAR	64.7			
1-2 YEARS	14.6			
> 2 YEARS/NEVER	20.7			
	WEIGHTED FREQUENCY			
< 1 YEAR	1,199,430			
1-2 YEARS	270,214			
> 2 YEARS/NEVER	382,853			
TOTAL IN SAMPLE	428			

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

REASON FOR NOT VISITING DENTIST

What is the main reason you have not visited the dentist in the past year? (B)

For respondents who have not visited a dentist or a dental clinic in the past year.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO DID NOT RESPOND "COST"	WEIGHTED PERCENT	95% CI
		TOTAL	72	67.4	55.9, 79
		GENDER			
		Female	40	66.4	51.4, 81.3
		Male	32	68.6	51, 86.1
		AGE			
		18-24	*	*	*
		25-44	20	53.5	33.1, 74
		45-64	15	60.4	39.3, 81.6
		65+	*	*	*
		ETHNICITY			
		Hispanic	14	47.8	23.5, 72.1
		Non-Hispanic	58	78.2	68.3, 88
		RACE			
		Black	26	69.5	49.2, 89.7
		White	42	68.1	53.4, 82.8
		HOUSEHOLD TYPE			
		One adult, no children	21	74.8	59.3, 90.3
		One adult, child/ren	*	*	*
		> 1 adult, no children	26	72	55.5, 88.5
		> 1 adult, child/ren	24	62.3	39.8, 84.8
		INCOME			
		Less than \$15,000	10	43.8	14.1, 73.5
		\$15,000-24,999	19	65.7	44, 87.3
		\$25,000-49,999	16	74.7	54, 95.4
		\$50,000-74,999	6	81.3	52.1, 100
		More than \$75,000	*	*	*
		WEIGHTED PERCENT			
FEAR/APPREHENSION/ NERVOUSNESS/PAIN/ DISLIKE GOING	7.3				
COST	32.5				
NO REASON TO GO	46				
OTHER†	14.1				
		WEIGHTED FREQUENCY			
FEAR/APPREHENSION/ NERVOUSNESS/PAIN/ DISLIKE GOING	41,778				
COST	185,722				
NO REASON TO GO	262,753				
OTHER†	80,702				
TOTAL IN SAMPLE	110				

†Other includes do not have/know a dentist, cannot get to the office/clinic, other priorities, have not thought of it, and other.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

DENTAL COVERAGE

Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? (B)

	NUMBER IN SAMPLE WHO RESPONDED "NO"	WEIGHTED PERCENT	95% CI
TOTAL	196	45.9	39.7, 52.1
GENDER			
Female	109	42.8	34.9, 50.7
Male	87	49.2	39.5, 58.8
AGE			
18-24	18	45.1	26.7, 63.4
25-44	76	42.8	33.6, 52
45-64	63	45.9	34.2, 57.5
65+	39	56.8	40.5, 73.1
ETHNICITY			
Hispanic	56	61.1	48.7, 73.5
Non-Hispanic	140	39.8	33, 46.7
RACE			
Black	68	50.9	40.1, 61.8
White	115	42.6	34.8, 50.4
HOUSEHOLD TYPE			
One adult, no children	69	43.9	34.7, 53.2
One adult, child/ren	16	52.3	32.9, 71.7
> 1 adult, no children	62	53.4	42.7, 64.2
> 1 adult, child/ren	49	38.5	27.9, 49
INCOME			
Less than \$15,000	29	69.1	48.8, 89.4
\$15,000-24,999	60	67.1	55.4, 78.9
\$25,000-49,999	55	41.3	30.2, 52.5
\$50,000-74,999	12	20.4	6.8, 34
More than \$75,000	12	17.1	5.6, 28.5

	WEIGHTED PERCENT
YES	54.1
NO	45.9
WEIGHTED FREQUENCY	
YES	1,035,045
NO	879,154
TOTAL IN SAMPLE	438

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

TOLD BLOOD PRESSURE HIGH

Have you ever been told by a doctor, nurse or other health professional that you have high blood pressure?

For female respondents who answered "Yes," was this only when you were pregnant?

		NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI	
		TOTAL	245	28.2	24.4, 32
		GENDER			
		Female	162	32.2	27, 37.3
		Male	83	23.8	18.2, 29.5
		AGE			
		18-24	*	*	*
		25-44	49	15.3	10.4, 20.1
		45-64	111	42.4	34.5, 50.2
		65+	81	62.3	52.2, 72.4
		ETHNICITY			
		Hispanic	33	18	11.4, 24.5
		Non-Hispanic	212	32.2	27.7, 36.8
		RACE			
		Black	114	33.8	27.3, 40.3
		White	113	24	19.1, 28.9
		HOUSEHOLD TYPE			
		One adult, no children	90	35.9	28.9, 42.9
		One adult, child/ren	16	28	16, 39.9
		> 1 adult, no children	94	33.5	26.7, 40.2
		> 1 adult, child/ren	45	19.4	13.3, 25.5
		INCOME			
		Less than \$15,000	38	32.8	21.4, 44.2
		\$15,000-24,999	58	30.8	22.5, 39
		\$25,000-49,999	55	26.7	19.1, 34.2
		\$50,000-74,999	22	17	9, 25
		More than \$75,000	30	24.6	14.1, 35.1

*Count, percent and 95% CI suppressed because count is 5 or less.

	WEIGHTED PERCENT
YES [†]	28.2
NO	71.8
	WEIGHTED FREQUENCY
YES [†]	550,748
NO	1,402,571
TOTAL IN SAMPLE	896

[†]Includes women who had high blood pressure while pregnant.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

TAKING MEDICATION FOR HIGH BLOOD PRESSURE

Are you are currently taking medicine for your high blood pressure?

For respondents who have been told they have high blood pressure and were not pregnant.

	WEIGHTED PERCENT	NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI	
		TOTAL	184	78.3	71.4, 85.3
		GENDER			
		Female	126	82.2	74.6, 89.8
		Male	58	73	60.4, 85.5
		AGE			
		18-24	*	*	*
		25-44	16	35.3	17, 53.6
		45-64	94	89.5	82.5, 96.5
		65+	74	96.3	93.2, 99.5
		ETHNICITY			
		Hispanic	19	67.3	47.7, 86.9
		Non-Hispanic	165	80.4	73.1, 87.8
		RACE			
		Black	93	88	81.3, 94.7
		White	79	68.1	56.1, 80.1
		HOUSEHOLD TYPE			
		One adult, no children	70	82.5	73.8, 91.2
		One adult, child/ren	13	84.6	64.5, 100
		> 1 adult, no children	77	87	79.9, 94.2
		> 1 adult, child/ren	24	56	36.3, 75.8
		INCOME			
		Less than \$15,000	33	95.3	90, 100
		\$15,000-24,999	44	72.4	57.7, 87.1
		\$25,000-49,999	40	72.3	54.8, 89.9
		\$50,000-74,999	14	75.5	54.4, 96.6
		More than \$75,000	24	79.6	59.9, 99.2
		WEIGHTED PERCENT			
YES	78.3				
NO	21.7				
		WEIGHTED FREQUENCY			
YES	411,840				
NO	113,973				
TOTAL IN SAMPLE	235				

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

HAD CHOLESTEROL CHECKED

Blood cholesterol is a fatty substance found in the blood. Have you ever had your blood cholesterol checked?

			NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
		TOTAL	682	73.1	69.1, 77.1
		GENDER			
		Female	421	77.8	73.3, 82.4
		Male	261	67.9	61.4, 74.5
		AGE			
		18-24	38	49.4	36, 62.9
		25-44	284	67.9	61.9, 73.9
		45-64	236	81.7	74.6, 88.7
		65+	124	94	89.8, 98.1
		ETHNICITY			
		Hispanic	104	54.5	45.3, 63.7
		Non-Hispanic	577	80.4	76.6, 84.2
		RACE			
		Black	238	71.9	65.2, 78.5
		White	401	74.6	69.2, 80
		HOUSEHOLD TYPE			
		One adult, no children	232	83.6	78.4, 88.7
		One adult, child/ren	50	65.9	53.9, 77.9
		> 1 adult, no children	223	76.6	70.3, 82.9
		> 1 adult, child/ren	177	65.6	58.2, 73.1
		INCOME			
		Less than \$15,000	72	61.8	49.5, 74.1
		\$15,000-24,999	117	68.4	59.5, 77.2
		\$25,000-49,999	176	74.6	67, 82.2
		\$50,000-74,999	99	75.1	63.9, 86.2
		More than \$75,000	124	90.7	84.5, 96.9
		WEIGHTED PERCENT			
YES	73.1				
NO	26.9				
		WEIGHTED FREQUENCY			
YES	1,417,420				
NO	521,413				
TOTAL IN SAMPLE	888				

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER TOLD HAD HIGH CHOLESTEROL

Have you ever been told by a doctor, nurse, or other health professional that your blood cholesterol is high?

For respondents who have had their blood cholesterol checked.

	NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
TOTAL	211	30.6	26.1, 35.1
GENDER			
Female	126	29.8	24.2, 35.3
Male	85	31.7	24.5, 38.9
AGE			
18-24	6	13.9	2.1, 25.6
25-44	66	25.5	18.7, 32.3
45-64	90	39	30.7, 47.3
65+	49	36	25.7, 46.3
ETHNICITY			
Hispanic	33	31.8	21, 42.5
Non-Hispanic	178	30.4	25.5, 35.2
RACE			
Black	71	31.6	24, 39.1
White	127	31	25, 36.9
HOUSEHOLD TYPE			
One adult, no children	83	34.1	26.9, 41.3
One adult, child/ren	10	21.4	8.6, 34.2
> 1 adult, no children	70	31.1	23.7, 38.6
> 1 adult, child/ren	48	29.1	20.7, 37.5
INCOME			
Less than \$15,000	25	26.7	14.8, 38.6
\$15,000-24,999	44	38.9	28, 49.9
\$25,000-49,999	44	24.3	15.9, 32.8
\$50,000-74,999	30	32.7	19.5, 45.8
More than \$75,000	34	23.2	14.2, 32.2

	WEIGHTED PERCENT
YES	30.6
NO	69.4
	WEIGHTED FREQUENCY
YES	432,586
NO	980,624
TOTAL IN SAMPLE	681

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER HAD BLOOD STOOL TEST

A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit? (B)

For respondents who were 50 years or older.

	WEIGHTED PERCENT	NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
TOTAL		61	32.7	23.1, 42.3
GENDER				
Female		18	23	11.1, 34.9
Male		43	40.5	27.2, 53.7
ETHNICITY				
Hispanic		*	*	*
Non-Hispanic		59	36.5	26, 46.9
RACE				
Black		22	33.7	18.4, 49
White		39	34.6	22.4, 46.9
HOUSEHOLD TYPE				
One adult, no children		26	37.2	23.2, 51.2
One adult, child/ren		*	*	*
> 1 adult, no children		26	31.5	17.8, 45.2
> 1 adult, child/ren		9	34.7	9.7, 59.7
INCOME				
Less than \$15,000		*	*	*
\$15,000-24,999		15	37.4	18.5, 56.3
\$25,000-49,999		18	38.3	19.6, 57
\$50,000-74,999		7	30.9	1.6, 60.2
More than \$75,000		6	17.8	0.2, 35.5

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER HAD SIGMOIDOSCOPY OR COLONOSCOPY

Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the bowel for signs of cancer or other health problems. Have you ever had either of these exams? (B)

For respondents who were 50 years or older.

	WEIGHTED PERCENT
YES	44.1
NO	55.9
	WEIGHTED FREQUENCY
YES	297,884
NO	378,304
TOTAL IN SAMPLE	157

	NUMBER IN SAMPLE WHO RESPONDED "NO"	WEIGHTED PERCENT	95% CI
TOTAL	93	55.9	45, 66.8
GENDER			
Female	59	53.2	39.6, 66.8
Male	34	59.3	42, 76.7
ETHNICITY			
Hispanic	12	90.6	72.5, 100
Non-Hispanic	81	50	38.8, 61.2
RACE			
Black	43	56.7	40.5, 72.9
White	49	59.1	45.8, 72.5
HOUSEHOLD TYPE			
One adult, no children	37	60	45.6, 74.4
One adult, child/ren	*	*	*
> 1 adult, no children	34	51.4	34.7, 68
> 1 adult, child/ren	17	55.2	29, 81.5
INCOME			
Less than \$15,000	13	61.6	26.2, 97
\$15,000-24,999	24	57.9	37.9, 77.9
\$25,000-49,999	22	58.5	39, 78
\$50,000-74,999	9	48.2	12.5, 83.8
More than \$75,000	8	23	2.4, 43.6

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER HAD PSA TEST

A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer. Have you ever had a PSA test? (B)

For male respondents who were 40 years or older.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO RESPONDED "NO"	WEIGHTED PERCENT	95% CI
YES	56.3	TOTAL	51	43.7	30.1, 57.2
NO	43.7	ETHNICITY			
		Hispanic	18	71.9	45.1, 98.8
		Non-Hispanic	33	31.9	19.1, 44.7
		RACE			
		Black	7	28.1	2.9, 53.2
		White	43	53.4	36.7, 70
		HOUSEHOLD TYPE			
		One adult, no children	18	35.3	18.2, 52.4
		One adult, child/ren	*	*	*
		> 1 adult, no children	13	33.8	13.9, 53.7
		> 1 adult, child/ren	17	55.2	29.9, 80.6
		INCOME			
		Less than \$15,000	7	84.1	61.5, 100
		\$15,000-24,999	9	36.7	12.7, 60.7
		\$25,000-49,999	15	47.5	21.4, 73.6
		\$50,000-74,999	*	*	*
		More than \$75,000	12	43.2	15.2, 71.1
TOTAL IN SAMPLE	101				

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER HAD DIGITAL RECTAL EXAM

A digital rectal exam is an exam in which a doctor, nurse or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland. Have you ever had a digital rectal exam? (B)

For male respondents who were 40 years or older.

	WEIGHTED PERCENT
YES	49.9
NO	50.1

	WEIGHTED FREQUENCY
YES	257,643
NO	258,301
TOTAL IN SAMPLE	103

	NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
TOTAL	63	49.9	36.2, 63.6
ETHNICITY			
Hispanic	*	*	*
Non-Hispanic	60	67.2	51.8, 82.5
RACE			
Black	14	56	36.2, 75.8
White	48	63.2	52.1, 74.2
HOUSEHOLD TYPE			
One adult, no children	26	64.3	45.5, 83
One adult, child/ren	*	*	*
> 1 adult, no children	26	73.9	52.6, 95.2
> 1 adult, child/ren	11	20.9	6.3, 35.4
INCOME			
Less than \$15,000	*	*	*
\$15,000-24,999	8	46.5	19.9, 73.1
\$25,000-49,999	14	32.3	11.9, 52.7
\$50,000-74,999	7	41.6	3.5, 79.7
More than \$75,000	23	93.9	85.6, 100

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER HAD CLINICAL BREAST EXAM

A clinical breast exam is when a doctor, nurse, or other health professional feels the breasts for lumps. Have you ever had a clinical breast exam? (B)

For female respondents.

	WEIGHTED PERCENT	NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
TOTAL		215	80.9	74.2, 87.5
AGE				
18-24		18	64.3	40.2, 88.4
25-44		91	85.8	77.7, 93.9
45-64		74	82.7	71, 94.5
65+		32	78.9	61.8, 96.1
ETHNICITY				
Hispanic		33	64.9	49.1, 80.7
Non-Hispanic		182	86	79.1, 92.9
RACE				
Black		77	76	64.5, 87.5
White		122	83.5	75.2, 91.9
HOUSEHOLD TYPE				
One adult, no children		73	82.2	71.3, 93
One adult, child/ren		20	72.5	52.9, 92.2
> 1 adult, no children		62	83.8	72, 95.6
> 1 adult, child/ren		60	79.1	67.6, 90.6
INCOME				
Less than \$15,000		19	58.2	31.2, 85.3
\$15,000-24,999		38	69.2	53.1, 85.3
\$25,000-49,999		69	91.7	85.1, 98.2
\$50,000-74,999		28	100	--
More than \$75,000		26	100	--
WEIGHTED FREQUENCY				
YES	80.9			
NO	19.1			
YES	790,045			
NO	187,032			
TOTAL IN SAMPLE	253			

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER HAD PAP SMEAR

A pap smear is a test for cancer of the cervix. Have you ever had a pap smear? (B)

For female respondents.

		NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
	TOTAL	237	93.1	89, 97.2
	AGE			
	18-24	22	92.5	83.5, 100
	25-44	100	95	89, 100
	45-64	79	91.4	83.9, 99
	65+	36	92.2	79, 100
	ETHNICITY			
	Hispanic	45	94.2	88.1, 100
	Non-Hispanic	192	92.8	87.7, 97.8
	RACE			
	Black	91	93.7	86.7, 100
	White	131	92.8	87.5, 98.1
	HOUSEHOLD TYPE			
	One adult, no children	79	96.3	92.2, 100
	One adult, child/ren	25	95.7	87.4, 100
	> 1 adult, no children	63	88.5	79.5, 97.5
	> 1 adult, child/ren	70	95.4	89.4, 100
	INCOME			
	Less than \$15,000	23	94.2	87.5, 100
	\$15,000-24,999	48	89.1	76.6, 100
	\$25,000-49,999	72	94.1	86.9, 100
	\$50,000-74,999	28	100	--
	More than \$75,000	25	89.9	71.4, 100
	WEIGHTED PERCENT			
YES	93.1			
NO	6.9			
	WEIGHTED FREQUENCY			
YES	912,325			
NO	67,635			
TOTAL IN SAMPLE	253			

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER HAD OSTEOPOROSIS SCREENING

Have you ever had osteoporosis screening which may have included a scan of your foot, hand, or entire body?

For female respondents.

		NUMBER IN SAMPLE WHO RESPONDED "NO"	WEIGHTED PERCENT	95% CI
	TOTAL	446	85.8	82.1, 89.5
	AGE			
	18-24	49	97.3	92.1, 100
	25-44	215	93.8	90, 97.7
	45-64	130	80	72.6, 87.4
	65+	52	66.2	52.7, 79.8
	ETHNICITY			
	Hispanic	90	95.3	91, 99.6
	Non-Hispanic	355	82.7	78.1, 87.3
	RACE			
	Black	191	91	86, 96
	White	215	79.5	73.5, 85.5
	HOUSEHOLD TYPE			
	One adult, no children	121	75.4	67.4, 83.4
	One adult, child/ren	57	91.5	84, 99
	> 1 adult, no children	125	82.1	74.9, 89.2
	> 1 adult, child/ren	143	92.4	86.9, 97.9
	INCOME			
	Less than \$15,000	56	85.3	74.2, 96.5
	\$15,000-24,999	91	91.5	85.7, 97.3
	\$25,000-49,999	118	84.7	77.3, 92.2
	\$50,000-74,999	54	83.7	72.4, 95
	More than \$75,000	56	80.5	68.4, 92.7
	WEIGHTED PERCENT			
YES	14.2			
NO	85.8			
	WEIGHTED FREQUENCY			
YES	143,307			
NO	866,439			
TOTAL IN SAMPLE	529			

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER DIAGNOSED WITH OSTEOPOROSIS

Have you ever been told by a doctor or other health care professional that you have osteoporosis?

For female respondents.

CROSS-TABULATION BY SELECTED DEMOGRAPHIC VARIABLES IS NOT POSSIBLE BECAUSE THERE ARE TOO FEW WOMEN DIAGNOSED WITH OSTEOPOROSIS.

	WEIGHTED PERCENT
YES	5.9
NO	94.1
	WEIGHTED FREQUENCY
YES	60,489
NO	958,687
TOTAL IN SAMPLE	534

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER DIAGNOSED WITH DIABETES

Have you ever been told by a doctor that you have diabetes?

For female respondents who answered "Yes," was this only when you were pregnant?

		NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
	TOTAL	80	9.6	7.1, 12.1
	GENDER			
	Female	56	11.8	8.1, 15.7
	Male	24	7.1	3.9, 10.3
	AGE			
	18-24	*	*	*
	25-44	15	4.2	1.6, 6.7
	45-64	37	14.9	9.3, 20.4
	65+	27	23.7	14, 33.4
	ETHNICITY			
	Hispanic	17	10.8	4.9, 16.7
	Non-Hispanic	63	9.1	6.5, 11.8
	RACE			
	Black	45	13.1	8.5, 17.8
	White	28	6.9	4, 9.9
	HOUSEHOLD TYPE			
	One adult, no children	26	8.9	5, 12.8
	One adult, child/ren	6	9.8	2, 17.5
	> 1 adult, no children	31	12.5	7.7, 17.3
	> 1 adult, child/ren	17	7	3.1, 10.8
	INCOME			
	Less than \$15,000	16	15.4	6.1, 24.7
	\$15,000-24,999	21	10	5.1, 14.8
	\$25,000-49,999	17	6.3	2.9, 9.7
	\$50,000-74,999	7	7.2	0.6, 13.8
	More than \$75,000	6	5.9	0.7, 11.1

*Count, percent and 95% CI suppressed because count is 5 or less.

	WEIGHTED PERCENT
YES*	9.6
NO	90.4
	WEIGHTED FREQUENCY
YES	186,987
NO	1,764,764
TOTAL IN SAMPLE	895

*Does not include women who reported gestational diabetes.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

DIABETES-RELATED TESTS

About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

For respondents who have been diagnosed with diabetes, not gestational diabetes.

	WEIGHTED PERCENT
YES	54.6
NO	45.4
	WEIGHTED FREQUENCY
YES	101,773
NO	84,723
TOTAL IN SAMPLE	79

About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do not include times when checked by a health professional.

For respondents who have been diagnosed with diabetes, not gestational diabetes.

	WEIGHTED PERCENT
DAILY	51.1
WEEKLY/MONTHLY	29.8
INFREQUENTLY/NEVER	19.1
	WEIGHTED FREQUENCY
DAILY	88,123
WEEKLY/MONTHLY	51,428
INFREQUENTLY/NEVER	32,988
TOTAL IN SAMPLE	77

When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

For respondents who have been diagnosed with diabetes, not gestational diabetes.

	WEIGHTED PERCENT
< 1 MONTH	27.4
1-11 MONTHS	40.1
1 YEAR OR LONGER	17.9
NEVER	14.7
	WEIGHTED FREQUENCY
< 1 MONTH	51,256
1-11 MONTHS	74,951
1 YEAR OR LONGER	33,378
NEVER	27,401
TOTAL IN SAMPLE	80

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

ASTHMA SYMPTOMS

Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma? Would you say: not at any time, less than once a week, once or twice a week, more than 2 times a week but not every day, every day but not all the time, or every day, all the time?

	WEIGHTED PERCENT	NUMBER IN SAMPLE WHO RESPONDED "ONCE A WEEK OR MORE"	WEIGHTED PERCENT	95% CI
NOT AT ANY TIME	86.7	98	10.1	7.7, 12.5
LESS THAN ONCE A WEEK	3.3			
ONCE A WEEK OR MORE*	10.1			
	WEIGHTED FREQUENCY			
NOT AT ANY TIME	1,696,734			
LESS THAN ONCE A WEEK	63,716			
ONCE A WEEK OR MORE	197,079			
TOTAL IN SAMPLE	897			
		TOTAL		
		GENDER		
		Female	66	10.9
		Male	32	9.1
		AGE		
		18-24	8	9.3
		25-44	43	8.7
		45-64	28	10.6
		65+	19	13.6
		ETHNICITY		
		Hispanic	12	5
		Non-Hispanic	86	12.1
		RACE		
		Black	39	10.6
		White	52	9.8
		HOUSEHOLD TYPE		
		One adult, no children	35	12.9
		One adult, child/ren	16	25.6
		> 1 adult, no children	36	12.1
		> 1 adult, child/ren	11	4.8
		INCOME		
		Less than \$15,000	17	10.9
		\$15,000-24,999	23	8.6
		\$25,000-49,999	24	10.7
		\$50,000-74,999	13	11.7
		More than \$75,000	7	5.8

*Includes once or twice a week, more than 2 times a week by not every day, every day but not all the time and every day, all the time.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

ASTHMA MEDICATION

During the past 30 days how often did you take asthma medication that was prescribed or given to you by a doctor? This includes using an inhaler. Would you say: didn't take any, less than once a week, once or twice a week, more than 2 times a week but not every day, once every day, or 2 or more times every day?

For respondents who have ever been diagnosed with asthma and still have asthma.

A calculated variable. "Yes" is defined as respondents who reported taking asthma medication in the past 30 days, regardless of frequency. "No" is defined as respondents who reported taking no asthma medication in the past 30 days.

	WEIGHTED PERCENT
DIDN'T TAKE ANY	26.4
LESS THAN ONCE A WEEK	14.5
WEEKLY*	20.4
DAILY**	38.7

	WEIGHTED FREQUENCY
DIDN'T TAKE ANY	34,049
LESS THAN ONCE A WEEK	18,669
WEEKLY	26,245
DAILY	49,817
TOTAL IN SAMPLE	73

*Includes once or twice a week and more than 2 times a week but not everyday.

**Includes once everyday and 2 or more times everyday.

	WEIGHTED PERCENT
YES	73.6
NO	26.4

	WEIGHTED FREQUENCY
YES	94,732
NO	34,049
TOTAL IN SAMPLE	73

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

JOINT STATUS

A calculated variable. Arthritis is defined as respondents who have ever been told by a doctor or other health professional that they had arthritis. Joint symptoms is defined as respondents who have had any symptoms of pain, aching, or stiffness in or around a joint but have not be diagnosed by a doctor or other health professional with arthritis. No joint symptoms not apparent is defined as respondents who have neither been diagnosed with arthritis nor had any joint symptoms.

	NUMBER IN SAMPLE WITH ARTHRITIS	WEIGHTED PERCENT	95% CI
TOTAL	108	21	16.5, 25.4
GENDER			
Female	73	25.1	18.9, 31.4
Male	35	16.4	10.3, 22.5
AGE			
18-24	*	*	*
25-44	24	13.1	7.3, 18.8
45-64	42	28.1	19.1, 37.1
65+	40	44.5	29.6, 59.4
ETHNICITY			
Hispanic	19	19.6	10, 29.1
Non-Hispanic	89	21.5	16.6, 26.5
RACE			
Black	51	25.4	17.5, 33.2
White	50	18.1	12.5, 23.6
HOUSEHOLD TYPE			
One adult, no children	41	32	22.1, 41.9
One adult, child/ren	7	17.8	4.6, 30.9
> 1 adult, no children	38	22	14.5, 29.5
> 1 adult, child/ren	22	15.6	8.8, 22.4
INCOME			
Less than \$15,000	21	30.5	17, 44.1
\$15,000-24,999	19	20.7	10.5, 30.9
\$25,000-49,999	31	23.4	14.2, 32.7
\$50,000-74,999	9	10.3	2.6, 18.1
More than \$75,000	12	16.7	6.4, 27

*Count, percent and 95% CI suppressed because count is 5 or less.

	WEIGHTED PERCENT
ARTHRITIS	21
JOINT SYMPTOMS	12.4
NO JOINT SYMPTOMS	66.7
	WEIGHTED FREQUENCY
ARTHRITIS	423,357
JOINT SYMPTOMS	249,747
NO JOINT SYMPTOMS	1,347,272
TOTAL IN SAMPLE	458

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

LIMITATIONS DUE TO ARTHRITIS/JOINT SYMPTOMS

Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms? (A)

For respondents whose joint symptoms began more than three months ago and/or have been diagnosed with some form of arthritis.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
		TOTAL	51	25.2	17.7, 32.6
		GENDER			
		Female	37	27.2	18.2, 36.2
		Male	14	22.7	10.2, 35.1
		AGE			
		18-24	*	*	*
		25-44	15	25.6	12.7, 38.5
		45-64	19	28.9	14.8, 43.1
		65+	15	22.3	9.5, 35.1
		ETHNICITY			
		Hispanic	9	27.6	9.6, 45.5
		Non-Hispanic	42	24.7	16.5, 32.8
		RACE			
		Black	24	26	14.4, 37.6
		White	23	22.1	12.7, 31.5
		HOUSEHOLD TYPE			
		One adult, no children	13	19.7	8.3, 31
		One adult, child/ren	*	*	*
		> 1 adult, no children	22	24.1	13.1, 35
		> 1 adult, child/ren	12	29.8	14.1, 45.4
		INCOME			
		Less than \$15,000	11	29.1	11.3, 46.9
		\$15,000-24,999	7	12.2	1.9, 22.6
		\$25,000-49,999	15	33.3	17, 49.6
		\$50,000-74,999	6	36.1	9.9, 62.3
		More than \$75,000	*	*	*
YES	25.2				
NO	74.8				
		WEIGHTED FREQUENCY			
YES	209,537				
NO	623,340				
TOTAL IN SAMPLE	202				

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

ARTHRITIS/JOINT SYMPTOMS AFFECT WORK

In this next question we are referring to work for pay. Do arthritis or joint symptoms now affect whether you work, the type of work you do, or the amount of work you do? If the respondent says they are retired or out-of-work, did arthritis or joint symptoms cause you to stop working? That is, did it affect whether you work or not? (A)

For respondents between the ages of 18 to 64 whose joint symptoms began more than three months ago and/or have been diagnosed with some form of arthritis.

	NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
TOTAL	43	32.9	23.3, 42.5
GENDER			
Female	29	31.7	20.2, 43.2
Male	14	34.4	18.4, 50.5
AGE			
18-24	*	*	*
25-44	17	24.5	12.2, 36.9
45-64	24	46.2	30.8, 61.6
ETHNICITY			
Hispanic	9	35.2	13.8, 56.7
Non-Hispanic	34	32.5	21.7, 43.2
RACE			
Black	26	40.9	26.2, 55.6
White	13	19.2	7.6, 30.7
HOUSEHOLD TYPE			
One adult, no children	12	34.2	16.7, 51.8
One adult, child/ren	*	*	*
> 1 adult, no children	13	30.1	14.1, 46.1
> 1 adult, child/ren	15	35.7	19.5, 52
INCOME			
Less than \$15,000	9	38.3	14.3, 62.3
\$15,000-24,999	7	17.3	2.9, 31.6
\$25,000-49,999	14	52	31.8, 72.3
\$50,000-74,999	7	39.6	13.7, 65.6
More than \$75,000	*	*	*

*Count, percent and 95% CI suppressed because count is 5 or less.

WEIGHTED PERCENT

YES	32.9
NO	67.1

WEIGHTED FREQUENCY

YES	195,271
NO	398,454

TOTAL IN SAMPLE 152

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

FETAL TRANSMISSION OF HIV

A pregnant woman with HIV can get treatment to help reduce the chances that she will pass the virus on to her baby. Please tell me whether you think this is true or false, or if you don't know. (A)

For respondents less than 65 years old.

	WEIGHTED PERCENT	NUMBER IN SAMPLE WHO RESPONDED "TRUE"	WEIGHTED PERCENT	95% CI
TRUE	82	257	82	76.1, 87.8
FALSE	18			
TOTAL IN SAMPLE	303			
		TOTAL		
		GENDER		
		Female	85.7	78.9, 92.6
		Male	77.6	67.9, 87.2
		AGE		
		18-24	80.1	61.1, 99
		25-44	81.4	74, 88.7
		45-64	84.1	74.2, 94.1
		ETHNICITY		
		Hispanic	80.1	67.5, 92.6
		Non-Hispanic	82.7	76.2, 89.1
		RACE		
		Black	76.2	65.1, 87.3
		White	86.3	80, 92.5
		MARITAL STATUS		
		Divorced/separated	75.8	56.6, 95.1
		Married	84.2	76.4, 91.9
		Never married	80.3	69, 91.6
		Unmarried couple	91.2	77.7, 100
		Widowed	78.2	48.1, 100
		INCOME		
		Less than \$15,000	83.3	67.5, 99.1
		\$15,000-24,999	69.9	52, 87.9
		\$25,000-49,999	78.8	67, 90.6
		\$50,000-74,999	83.5	72.4, 94.6
		More than \$75,000	90.6	81.7, 99.5

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

HIV TREATMENT

There are medical treatments available that are intended to help a person who is infected with HIV to live longer. Please tell me whether you think this is true or false, or if you don't know. (A)

For respondents less than 65 years old.

	NUMBER IN SAMPLE WHO RESPONDED "TRUE"	WEIGHTED PERCENT	95% CI
TOTAL	332	96.1	93.5, 98.6
GENDER			
Female	202	95.3	91.6, 99.1
Male	130	96.8	93.5, 100
AGE			
18-24	35	96.4	90.9, 100
25-44	187	96.1	92.3, 99.8
45-64	110	95.8	91.8, 99.9
ETHNICITY			
Hispanic	65	99.2	97.8, 100
Non-Hispanic	266	94.8	91.3, 98.2
RACE			
Black	122	92.6	86.9, 98.2
White	181	98.6	96.7, 100
MARITAL STATUS			
Divorced/separated	55	95	87.8, 100
Married	127	96.2	92.3, 100
Never married	117	95.1	90.2, 100
Unmarried couple	20	100	
Widowed	12	100	
INCOME			
Less than \$15,000	41	96.4	91.8, 100
\$15,000-24,999	58	98.1	95.4, 100
\$25,000-49,999	76	94	87, 100
\$50,000-74,999	62	97.5	92.7, 100
More than \$75,000	67	96.3	89.1, 100

	WEIGHTED PERCENT
TRUE	96.1
FALSE	3.9

	WEIGHTED FREQUENCY
TRUE	1,452,671
FALSE	59,713
TOTAL IN SAMPLE	345

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER TESTED FOR HIV

Have you ever been tested for HIV (include saliva tests)? Do not count tests you may have had as part of a blood donation.

(A)

For respondents less than 65 years old.

		NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
	TOTAL	211	56.3	49.7, 62.9
	GENDER			
	Female	134	58.9	50.6, 67.3
	Male	77	53.5	43.1, 63.8
	AGE			
	18-24	19	45.8	26.9, 64.7
	25-44	136	64.6	56.2, 73.1
	45-64	56	47.1	35.8, 58.5
	ETHNICITY			
	Hispanic	36	46.1	32.1, 60.1
	Non-Hispanic	174	60.4	53.3, 67.6
	RACE			
	Black	91	64.9	54.7, 75.1
	White	103	50.1	40.8, 59.5
	MARITAL STATUS			
	Divorced/separated	42	70.1	55.6, 84.6
	Married	78	56.3	46, 66.6
	Never married	70	48.7	37.3, 60.1
	Unmarried couple	16	76.1	53.2, 98.9
	Widowed	*	*	*
	INCOME			
	Less than \$15,000	29	57	39.5, 74.5
	\$15,000-24,999	43	67	51.2, 82.8
	\$25,000-49,999	54	60.7	47.3, 74.1
	\$50,000-74,999	30	45.6	28.7, 62.6
	More than \$75,000	41	59.6	44.7, 74.5

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

REASON FOR HIV TEST

I am going to read you a list of reasons why some people have been tested for HIV. Not including blood donations, which of these would you say was the MAIN reason for your last HIV test: it was required, someone suggested you should be tested, you thought you may have gotten HIV through sex or drug use, you just wanted to find out whether you had HIV, you were worried that you could give HIV to someone, you were pregnant (if female), it was done as part of a routine medical check-up, or you were tested for some other reason? (A)

For respondents less than 65 years old who had an HIV test.

	WEIGHTED PERCENT
REQUIRED	16.1
SOMEONE SUGGESTED/ WANTED TO FIND OUT	28.5
THOUGHT GOTTEN HIV/WORRIED GIVING HIV SOMEONE	4.6
PREGNANT	16.3
ROUTINE CHECK-UP	33.1
SOME OTHER REASON	*
	WEIGHTED FREQUENCY
REQUIRED	142,879
SOMEONE SUGGESTED/ WANTED TO FIND OUT	252,119
THOUGHT GOTTEN HIV/WORRIED GIVING HIV SOMEONE	40,961
PREGNANT	144,382
ROUTINE CHECK-UP	292,712
SOME OTHER REASON	*
TOTAL IN SAMPLE	204

*Count, percent and 95% CI suppressed because count is 5 or less

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

LOCATION OF HIV TEST

Where did you have your last HIV tests, at a private doctor or HMO office, at a counseling and testing site, at a hospital, at a clinic, in a jail or prison, at home, or somewhere else? (A)

For respondents less than 65 years old who have had an HIV test.

	WEIGHTED PERCENT
PRIVATE DOCTOR OR HMO	38.4
COUNSELING AND TESTING SITE	*
HOSPITAL	27.5
CLINIC	23.9
JAIL OR PRISON	*
HOME	3.1
SOMEWHERE ELSE	*

	WEIGHTED FREQUENCY
PRIVATE DOCTOR OR HMO	344,044
COUNSELING AND TESTING SITE	*
HOSPITAL	245,931
CLINIC	213,963
JAIL OR PRISON	*
HOME	27,563
SOMEWHERE ELSE	*
TOTAL IN SAMPLE	208

*Percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

RISK OF AIDS

*I'm going to read you a list.
When I'm done, please tell me
if any of the situations apply to
you. You don't need to tell me
which one.*

- *You have used intravenous drugs in the past year.*
- *You have been treated for a sexually transmitted or venereal disease in the past year.*
- *You have given or received money or drugs in exchange for sex in the past year.*
- *You had anal sex without a condom in the past year.*

*Do any of these situations
apply to you?*

	WEIGHTED PERCENT	NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
		TOTAL	33	5.1 2.9, 7.2
		GENDER		
		Female	16	4 1.4, 6.5
		Male	17	6.2 2.8, 9.6
		AGE		
		18-24	6	4.8 0.4, 9.3
		25-44	19	6.3 2.9, 9.8
		45-64	8	3.1 0.5, 5.7
		ETHNICITY		
		Hispanic	*	* *
		Non-Hispanic	28	5.4 2.9, 7.8
		RACE		
		Black	12	5.5 1.8, 9.1
		White	19	5.1 2.2, 8
		MARITAL STATUS		
		Divorced/separated	10	13.1 3.6, 22.5
		Married	11	4.1 1.3, 6.9
		Never married	10	2.7 0.8, 4.6
		Unmarried couple	*	* *
		Widowed	*	* *
		INCOME		
		Less than \$15,000	6	8.4 0, 17.1
		\$15,000-24,999	9	9.2 2.8, 15.5
		\$25,000-49,999	10	4.1 1.1, 7.1
		\$50,000-74,999	*	* *
		More than \$75,000	*	* *
		WEIGHTED PERCENT		
YES	5.1			
NO	94.9			
		WEIGHTED FREQUENCY		
YES	82,619			
NO	1,553,999			
TOTAL IN SAMPLE	743			

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

TALKED ABOUT CONDOMS PREVENTING STDS

The next question is about sexually transmitted diseases other than HIV, such as syphilis, gonorrhea, chlamydia, or genital herpes. In the past 12 months has a doctor, nurse or other health professional talked to you about preventing sexually transmitted diseases through condom use?

	WEIGHTED PERCENT	NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI	
		TOTAL	170	24.5	20.4, 28.6
		GENDER			
		Female	115	28.2	22.8, 33.6
		Male	55	20.6	14.5, 26.8
		AGE			
		18-24	42	50.3	37.3, 63.3
		25-44	104	26	20.6, 31.3
		45-64	24	8.2	3.4, 13.1
		ETHNICITY			
		Hispanic	62	35.5	26.5, 44.5
		Non-Hispanic	108	19.7	15.4, 24
		RACE			
		Black	60	21.1	15.2, 27
		White	95	26.2	20.4, 32
		MARITAL STATUS			
		Divorced/separated	21	15.1	7.4, 22.9
		Married	53	22.3	16, 28.6
		Never married	86	32.9	25.5, 40.3
		Unmarried couple	10	29.4	9.7, 49.1
		Widowed	*	*	*
		INCOME			
		Less than \$15,000	27	36.1	22.4, 49.9
		\$15,000-24,999	41	28	18.9, 37.1
		\$25,000-49,999	54	31.5	22.6, 40.4
		\$50,000-74,999	17	14.6	6.6, 22.5
		More than \$75,000	12	8.7	1.5, 15.9
		WEIGHTED PERCENT			
YES	24.5				
NO	75.5				
		WEIGHTED FREQUENCY			
YES	401,250				
NO	1,238,625				
TOTAL IN SAMPLE	747				

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

AVERAGE NUMBER OF DRINKS PER DAY

*On the days when you drank,
about how many drinks did you
drink on the average?*

*For respondents who drank alcohol in
the past 30 days.*

	NUMBER IN SAMPLE WHO RESPONDED "3 OR MORE DRINKS PER DAY"	WEIGHTED PERCENT	95% CI
TOTAL	165	37.2	31.6, 42.8
GENDER			
Female	53	22.8	15.7, 29.9
Male	112	46.8	39.1, 54.5
AGE			
18-24	24	57.1	41.6, 72.6
25-44	99	41.5	33.7, 49.4
45-64	35	28.4	17.4, 39.4
65+	7	9	0.9, 17.1
ETHNICITY			
Hispanic	43	52.3	39.7, 64.9
Non-Hispanic	122	31.8	26, 37.6
RACE			
Black	33	29.7	19.2, 40.1
White	123	41.2	34.3, 48.1
HOUSEHOLD TYPE			
One adult, no children	62	37.9	29.3, 46.6
One adult, child/ren	9	29.8	11.8, 47.7
> 1 adult, no children	46	31.5	22.9, 40.2
> 1 adult, child/ren	48	43.5	33.1, 54
INCOME			
Less than \$15,000	14	40.7	21.4, 60
\$15,000-24,999	33	41.7	28.9, 54.6
\$25,000-49,999	44	37.7	26.5, 48.8
\$50,000-74,999	31	46.6	32.2, 60.9
More than \$75,000	27	31.7	19.5, 44

	WEIGHTED PERCENT
1-2 DRINKS PER DAY	62.8
3 OR MORE DRINKS PER DAY	37.2
	WEIGHTED FREQUENCY
1-2 DRINKS PER DAY	705,727
3 OR MORE DRINKS PER DAY	417,865
TOTAL IN SAMPLE	529

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

FREQUENCY OF DRINKING 5 OR MORE DRINKS

Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks on an occasion?

For respondents who drank alcohol in the past 30 days.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO RESPONDED "3 OR MORE TIMES PER MONTH"	WEIGHTED PERCENT	95% CI
		TOTAL	68	15.9	11.4, 20.4
		GENDER			
		Female	11	4.2	1.5, 7
		Male	57	23.6	16.7, 30.5
		AGE			
		18-24	15	34.2	18.7, 49.8
		25-44	38	15.6	9.1, 22
		45-64	13	10.1	3.9, 16.4
		65+	*	*	*
		ETHNICITY			
		Hispanic	14	19.3	7.7, 30.8
		Non-Hispanic	54	14.6	10.2, 19.1
		RACE			
		Black	9	12.7	3.6, 21.9
		White	53	16.7	11.3, 22
		HOUSEHOLD TYPE			
		One adult, no children	32	22.4	14.8, 30.1
		One adult, child/ren	*	*	*
		> 1 adult, no children	18	12.4	6.2, 18.6
		> 1 adult, child/ren	17	17.3	8.2, 26.4
		INCOME			
		Less than \$15,000	*	*	*
		\$15,000-24,999	15	22.9	11, 34.8
		\$25,000-49,999	16	12.7	5.8, 19.6
		\$50,000-74,999	15	21.3	7.4, 35.2
		More than \$75,000	13	16.4	6.4, 26.4
		WEIGHTED FREQUENCY			
NONE	67.1				
1-2 TIMES PER MONTH	17				
3 OR MORE TIMES PER MONTH	15.9				
TOTAL IN SAMPLE	528				

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

CHRONIC DRINKING RISK

A calculated variable. At risk is defined as respondents who reported that they have had on average two or more drinks per day or 60 or more drinks a month in the past month (based on the total number of drinks per month).

	NUMBER IN SAMPLE WHO ARE AT RISK	WEIGHTED PERCENT	95% CI
TOTAL	39	5.4	3.3, 7.5
GENDER			
Female	7	1	0.1, 1.9
Male	32	10.2	6, 14.5
AGE			
18-24	8	12.4	3.8, 21
25-44	18	5.1	1.7, 8.5
45-64	9	3.6	0.9, 6.3
65+	*	*	*
ETHNICITY			
Hispanic	*	*	*
Non-Hispanic	34	5.6	3.3, 7.8
RACE			
Black	8	4.4	0.6, 8.2
White	29	6.4	3.5, 9.2
HOUSEHOLD TYPE			
One adult, no children	18	7.5	3.5, 11.5
One adult, child/ren	*	*	*
> 1 adult, no children	9	4.7	1.4, 7.9
> 1 adult, child/ren	11	5.7	1.6, 9.7
INCOME			
Less than \$15,000	*	*	*
\$15,000-24,999	9	5.8	1.6, 10.1
\$25,000-49,999	10	4.1	1.1, 7.2
\$50,000-74,999	6	7.3	0.5, 14
More than \$75,000	7	7.1	0.7, 13.4

*Count, percent and 95% CI suppressed because count is 5 or less.

	WEIGHTED PERCENT
AT RISK	5.4
NOT AT RISK	94.6
	WEIGHTED FREQUENCY
AT RISK	105,092
NOT AT RISK	1,839,678
TOTAL IN SAMPLE	891

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

BINGE DRINKING RISK

A calculated variable. At risk is defined as respondents who reported that they have had alcoholic beverages in the past month and have had five or more alcoholic drinks on one or more occasions in the past month.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO ARE AT RISK	WEIGHTED PERCENT	95% CI
AT RISK	19	TOTAL	154	19	15.6, 22.4
NOT AT RISK	81	GENDER			
		Female	40	7.3	4.5, 10
		Male	114	31.8	25.6, 37.9
		AGE			
		18-24	26	36.8	24.2, 49.5
		25-44	90	23.2	17.7, 28.6
		45-64	33	11.1	6.7, 15.5
		65+	*	*	*
		ETHNICITY			
		Hispanic	33	21.1	13.2, 29.1
		Non-Hispanic	121	18.2	14.6, 21.8
		RACE			
		Black	23	10.7	5.6, 15.9
		White	121	25.1	20.2, 30.1
		HOUSEHOLD TYPE			
		One adult, no children	64	26.8	20.4, 33.2
		One adult, child/ren	6	9.5	1.7, 17.2
		> 1 adult, no children	44	16.6	11.4, 21.8
		> 1 adult, child/ren	40	19	12.6, 25.4
		INCOME			
		Less than \$15,000	12	16.6	5.8, 27.3
		\$15,000-24,999	26	17.6	10.1, 25.1
		\$25,000-49,999	42	17.5	11.6, 23.4
		\$50,000-74,999	32	27.5	16.6, 38.4
		More than \$75,000	32	30.7	20.1, 41.4

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

DRINKING AND DRIVING RISK

A calculated variable. "Yes" is defined as respondents who drove at least once in the past 30 days when they perhaps had too much to drink. "No" is defined as respondents who did not drive when they perhaps had too much to drink in the past 30 days.

		NUMBER IN SAMPLE WHO DROVE WHILE DRUNK AT LEAST ONCE	WEIGHTED PERCENT	95% CI
	TOTAL	24	3.2	1.5, 4.8
	GENDER			
	Female	6	0.8	0.04, 1.5
	Male	18	5.8	2.5, 9
	AGE			
	18-24	*	*	*
	25-44	16	5.3	2, 8.7
	45-64	*	*	*
	65+	6	5	0.6, 9.4
	ETHNICITY			
	Hispanic	*	*	*
	Non-Hispanic	19	2.7	1.3, 4
	RACE			
	Black	*	*	*
	White	18	4.3	1.6, 6.9
	HOUSEHOLD TYPE			
	One adult, no children	11	5.6	1.9, 9.2
	One adult, child/ren	*	*	*
	> 1 adult, no children	*	*	*
	> 1 adult, child/ren	9	4.3	0.8, 7.9
	INCOME			
	Less than \$15,000	*	*	*
	\$15,000-24,999	*	*	*
	\$25,000-49,999	*	*	*
	\$50,000-74,999	8	10.3	1.1, 19.4
	More than \$75,000	*	*	*

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

SMOKED 100 CIGARETTES IN LIFETIME

Have you smoked at least 100 cigarettes in your entire life?

			NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
		TOTAL	414	47	42.8, 51.3
		GENDER			
		Female	212	39.3	33.9, 44.6
		Male	202	55.6	49, 62.2
		AGE			
		18-24	30	37.7	25.2, 50.2
		25-44	159	44.8	38.5, 51.1
		45-64	154	52.1	44, 60.1
		65+	71	53.3	42.7, 63.8
		ETHNICITY			
		Hispanic	73	43.7	34.6, 52.8
		Non-Hispanic	341	48.4	43.7, 53.1
		RACE			
		Black	152	47.1	40, 54.1
		White	241	49.4	43.7, 55.1
		HOUSEHOLD TYPE			
		One adult, no children	135	49.8	42.8, 56.8
		One adult, child/ren	30	43.3	30.7, 55.9
		> 1 adult, no children	132	44.3	37.3, 51.3
		> 1 adult, child/ren	117	48.9	41.4, 56.5
		INCOME			
		Less than \$15,000	56	55.9	43.7, 68.1
		\$15,000-24,999	82	51.7	42.4, 61
		\$25,000-49,999	116	49	40.7, 57.2
		\$50,000-74,999	46	44.6	32.6, 56.6
		More than \$75,000	58	37.2	26.9, 47.6
		WEIGHTED PERCENT			
YES	47				
NO	53				
		WEIGHTED FREQUENCY			
YES	917,863				
NO	1,035,354				
TOTAL IN SAMPLE	896				

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

SMOKING STATUS

A calculated variable. A current smoker is defined as a respondent who reported smoking 100 cigarettes in a lifetime and now smokes everyday or some days. A former smoker reported smoking 100 cigarettes in a lifetime but currently does not smoke. A non-smoker is a respondent who reported never having smoked 100 cigarettes in a lifetime.

	NUMBER IN SAMPLE WHO ARE CURRENT SMOKERS	WEIGHTED PERCENT	95% CI
TOTAL	211	24.4	20.7, 28.1
GENDER			
Female	104	19.8	15.4, 24.2
Male	107	29.4	23.4, 35.4
AGE			
18-24	19	23.5	12.7, 34.3
25-44	94	26.8	20.9, 32.8
45-64	78	27.1	20.4, 33.7
65+	20	13.1	6.5, 19.7
ETHNICITY			
Hispanic	37	19.6	12.2, 26.9
Non-Hispanic	174	26.3	22.1, 30.6
RACE			
Black	81	24.9	19, 30.9
White	119	25.3	20.2, 30.5
HOUSEHOLD TYPE			
One adult, no children	62	20.1	14.9, 25.4
One adult, child/ren	20	30.9	18.8, 42.9
> 1 adult, no children	65	21.1	15.6, 26.5
> 1 adult, child/ren	64	28.9	21.7, 36
INCOME			
Less than \$15,000	29	29.3	17.8, 40.7
\$15,000-24,999	43	25.7	17.7, 33.7
\$25,000-49,999	66	27.6	20.1, 35
\$50,000-74,999	30	29.6	18.1, 41
More than \$75,000	22	15	7.5, 22.4

	WEIGHTED PERCENT
CURRENT SMOKER	24.4
FORMER SMOKER	22.6
NON-SMOKER	53

	WEIGHTED FREQUENCY
CURRENT SMOKER	476,046
FORMER SMOKER	441,817
NON-SMOKER	1,035,354
TOTAL IN SAMPLE	896

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

SMOKING RULES AND QUITTING

Which statement best describes the rules about smoking inside your home: smoking is not allowed anywhere inside your home, smoking is allowed in some places or at some times, smoking is allowed anywhere inside the home, or there are no rules about smoking inside the home? (B)

During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

For respondents who smoke cigarettes everyday or some days.

In the past 12 months, has a doctor, nurse or other health professional advised you to quit smoking? (B)

For respondents who smoke cigarettes everyday or some days.

	WEIGHTED PERCENT		WEIGHTED PERCENT
		YES	58.6
		NO	41.4
		YES	47.4
		NO	52.6
		TOTAL IN SAMPLE	211
		TOTAL IN SAMPLE	96

	WEIGHTED PERCENT		WEIGHTED PERCENT
NOT ANYWHERE	62.2	YES	211,503
SOME PLACES OR SOMETIMES	13.5	NO	234,990
ANYWHERE/ NO RULES	24.2	TOTAL IN SAMPLE	96
		TOTAL IN SAMPLE	211

	WEIGHTED FREQUENCY
NOT ANYWHERE	1,196,255
SOME PLACES OR SOMETIMES	260,380
ANYWHERE/ NO RULES	465,780
TOTAL IN SAMPLE	439

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

BODY MASS INDEX (BMI)

A calculated variable based on the following questions: About how much do you weigh without shoes? About how tall are you without shoes? Then categorized according the following guidelines:

Underweight	< 18.5
Normal weight	18.5-24.9
Overweight	25-29.9
Obese	30-39.9
Morbid Obesity	40+

	NUMBER IN SAMPLE WHO ARE OBESE	WEIGHTED PERCENT	95% CI
--	-----------------------------------	---------------------	--------

TOTAL	187	25.5	21.4, 29.6
GENDER			
Female	124	29	23.6, 34.4
Male	63	21.8	15.7, 27.9
AGE			
18-24	12	19.3	7.9, 30.7
25-44	81	26.2	20, 32.4
45-64	71	31.6	23.6, 39.5
65+	23	18.5	9.8, 27.2
ETHNICITY			
Hispanic	36	31.7	21.6, 41.8
Non-Hispanic	151	23.6	19.3, 28
RACE			
Black	95	31.9	25.1, 38.8
White	78	19.8	14.6, 24.9
HOUSEHOLD TYPE			
One adult, no children	49	18.3	12.6, 24
One adult, child/ren	19	34.2	21.2, 47.2
> 1 adult, no children	54	20.7	14.4, 26.9
> 1 adult, child/ren	65	33.3	25.4, 41.1
INCOME			
Less than \$15,000	29	32	19.1, 44.9
\$15,000-24,999	45	28.1	19.4, 36.9
\$25,000-49,999	42	24.4	16.5, 32.3
\$50,000-74,999	25	21.5	11.3, 31.6
More than \$75,000	22	18.9	8.8, 28.9

	WEIGHTED PERCENT
UNDERWEIGHT	1.2
NORMAL WEIGHT	35.6
OVERWEIGHT	37.6
OBESE/ MORBID OBESITY	25.5

	WEIGHTED FREQUENCY
UNDERWEIGHT	21,892
NORMAL WEIGHT	635,666
OVERWEIGHT	672,023
OBESE/ MORBID OBESITY	455,490
TOTAL IN SAMPLE	822

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

ADVICE ABOUT WEIGHT

In the past 12 months, has a doctor, nurse or health professional given you advice about your weight? (A)

	WEIGHTED PERCENT	NUMBER IN SAMPLE WHO RESPONDED "YES, LOSE WEIGHT"	WEIGHTED PERCENT	95% CI
TOTAL		72	15.8	11.5, 20
GENDER				
Female		49	17.9	12.1, 23.7
Male		23	13.4	7.1, 19.7
ETHNICITY				
Hispanic		11	13.9	5.3, 22.4
Non-Hispanic		61	16.5	11.6, 21.4
RACE				
Black		35	18.7	11.4, 26
White		30	13.2	7.5, 18.8
HOUSEHOLD TYPE				
One adult, no children		17	13.8	6.3, 21.3
One adult, child/ren		7	18	5.3, 30.7
> 1 adult, no children		26	13.8	7.7, 19.9
> 1 adult, child/ren		22	18.3	10.1, 26.4
INCOME				
Less than \$15,000		8	12.6	2.3, 22.8
\$15,000-24,999		13	13	5.1, 20.8
\$25,000-49,999		18	21.1	10.6, 31.6
\$50,000-74,999		8	14	1.7, 26.4
More than \$75,000		13	13.9	5.6, 22.1
WEIGHTED FREQUENCY				
YES, LOSE WEIGHT	318,270			
YES, GAIN/ MAINTAIN WEIGHT	85,524			
NO	1,616,581			
TOTAL IN SAMPLE	458			

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

LOSE WEIGHT

Are you now trying to lose weight? (A)

			NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
	WEIGHTED PERCENT	TOTAL	191	38.9	33.2, 44.6
		GENDER			
YES	38.9	Female	124	43.7	36.2, 51.2
NO	61.1	Male	67	33.7	25.2, 42.2
		ETHNICITY			
	WEIGHTED FREQUENCY	Hispanic	42	47.5	34.4, 60.5
YES	783,549	Non-Hispanic	149	35.9	29.7, 42
NO	1,230,189	RACE			
		Black	74	37	27.9, 46
		White	104	40.3	32.4, 48.2
		HOUSEHOLD TYPE			
		One adult, no children	57	39.1	29, 49.2
		One adult, child/ren	19	43.7	27.1, 60.3
		> 1 adult, no children	59	35.7	26.5, 44.8
		> 1 adult, child/ren	56	41.4	31.2, 51.7
		INCOME			
		Less than \$15,000	30	43.6	28.8, 58.5
		\$15,000-24,999	32	29.3	17.8, 40.9
		\$25,000-49,999	35	32.5	20.8, 44.2
		\$50,000-74,999	29	41.7	26.1, 57.3
		More than \$75,000	36	45	30.7, 59.3
TOTAL IN SAMPLE	457				

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

LOSING WEIGHT BY BMI STATUS

A calculated variable based responses to the question "Are you now trying to lose weight?" and BMI status.

			NUMBER IN SAMPLE WHO RESPONDED "YES" AND ARE OVERWEIGHT/OBESE	WEIGHTED PERCENT	95% CI
		TOTAL	137	31.9	26.1, 37.7
		GENDER			
	WEIGHTED PERCENT	Female	85	80.8	72.3, 89.4
		Male	52	85.6	75.6, 95.6
		ETHNICITY			
YES (OVERWEIGHT/OBESE)*	31.9	Hispanic	29	92.7	84.2, 100
YES (UNDERWEIGHT/ NORMAL WEIGHT)	6.8	Non-Hispanic	108	78.7	70.5, 86.9
		RACE			
NO (OVERWEIGHT/OBESE)	31.1	Black	58	88.2	65.9, 87.1
NO (UNDERWEIGHT/ NORMAL WEIGHT)	30.2	White	69	76.5	80.2, 96.1
		HOUSEHOLD TYPE			
	WEIGHTED FREQUENCY	One adult, no children	41	86	76.3, 95.8
		One adult, child/ren	13	69.7	45.2, 94.2
		> 1 adult, no children	48	89.1	79.7, 98.4
		> 1 adult, child/ren	35	77.1	64.6, 89.6
		INCOME			
YES (OVERWEIGHT/OBESE)	581,697	Less than \$15,000	23	88.5	75.3, 100
YES (UNDERWEIGHT/ NORMAL WEIGHT)	123,691	\$15,000-24,999	24	82.9	66.4, 99.4
		\$25,000-49,999	24	84.1	71.3, 96.9
NO (OVERWEIGHT/OBESE)	566,558	\$50,000-74,999	25	87.5	73.3, 100
NO (UNDERWEIGHT/ NORMAL WEIGHT)	550,555	More than \$75,000	26	78.2	61.6, 94.8
TOTAL IN SAMPLE	420				

*(BMI status)

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

MAINTAIN WEIGHT

Are you now trying to maintain your current weight, that is to keep from gaining weight? (A)

For respondents who were not trying to lose weight.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
YES	60.3	TOTAL	167	60.3	52.6, 68
NO	39.7	GENDER			
		Female	104	65.3	55.7, 74.9
		Male	63	55.7	43.9, 67.6
		ETHNICITY			
		Hispanic	25	52.6	34.1, 71
		Non-Hispanic	141	62.5	54.2, 70.7
		RACE			
		Black	64	62.4	50.2, 74.5
		White	85	56	45.1, 66.9
		HOUSEHOLD TYPE			
		One adult, no children	48	68.4	55.8, 81.1
		One adult, child/ren	13	48.4	25, 71.8
		> 1 adult, no children	62	61.5	49.4, 73.6
		> 1 adult, child/ren	44	56.9	42.8, 71
		INCOME			
		Less than \$15,000	23	54.8	34.5, 75.1
		\$15,000-24,999	26	58.4	40.4, 76.5
		\$25,000-49,999	44	60.3	46.5, 74.2
		\$50,000-74,999	27	62.4	39.6, 85.1
		More than \$75,000	29	70.9	50.8, 90.9
TOTAL IN SAMPLE	267				

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

MAINTAINING WEIGHT BY BMI STATUS

A calculated variable based responses to the question "Are you now trying to maintain your current weight, that is to keep from gaining weight?" and BMI status.

	NUMBER IN SAMPLE WHO RESPONDED "YES" AND ARE UNDERWEIGHT/ NORMAL WEIGHT	WEIGHTED PERCENT	95% CI
TOTAL	79	26.4	19.8, 33
GENDER			
Female	59	38.7	28.6, 48.8
Male	20	14.7	7.4, 21.9
ETHNICITY			
Hispanic	8	17	3.1, 31
Non-Hispanic	70	28.1	20.7, 35.4
RACE			
Black	22	15.3	7.2, 23.4
White	46	31.4	21.4, 41.4
HOUSEHOLD TYPE			
One adult, no children	24	32.7	21.1, 49.1
One adult, child/ren	*	*	*
> 1 adult, no children	33	32.6	16, 42.2
> 1 adult, child/ren	17	16.7	21.7, 50.5
INCOME			
Less than \$15,000	7	14.7	3.2, 26.1
\$15,000-24,999	9	15	4.1, 25.9
\$25,000-49,999	21	31.8	18.1, 45.5
\$50,000-74,999	17	36.7	16.6, 56.8
More than \$75,000	11	38.4	19.4, 57.5

	WEIGHTED PERCENT
YES (OVERWEIGHT/OBESE)*	32.7
YES (UNDERWEIGHT/ NORMAL WEIGHT)	26.4
NO (OVERWEIGHT/OBESE)	18.4
NO (UNDERWEIGHT/ NORMAL WEIGHT)	22.6
	WEIGHTED FREQUENCY
YES (OVERWEIGHT/OBESE)	366,933
YES (UNDERWEIGHT/ NORMAL WEIGHT)	296,272
NO (OVERWEIGHT/OBESE)	206,263
NO (UNDERWEIGHT/ NORMAL WEIGHT)	254,283
TOTAL IN SAMPLE	249

*(BMI status)

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

DRINKING FRUIT JUICE

How often do you drink fruit juices such as orange, grapefruit, or tomato? (A)

		NUMBER IN SAMPLE WHO RESPONDED "DAILY"	WEIGHTED PERCENT	95% CI
		199	44.5	38.6, 50.5
	TOTAL			
	GENDER			
	Female	127	45.7	38.1, 53.2
	Male	72	43.3	34.1, 52.5
	ETHNICITY			
	Hispanic	42	47.1	34, 60.1
	Non-Hispanic	156	43.5	36.9, 50
	RACE			
	Black	74	38.9	29.6, 48.2
	White	102	45.9	37.7, 54.1
	HOUSEHOLD TYPE			
	One adult, no children	58	45.1	34.7, 55.6
	One adult, child/ren	12	34	17.5, 50.5
	> 1 adult, no children	71	45.5	35.7, 55.3
	> 1 adult, child/ren	58	44.7	34.2, 55.1
	INCOME			
	Less than \$15,000	21	29.2	16.2, 42.3
	\$15,000-24,999	35	38.6	25, 52.3
	\$25,000-49,999	45	47	34.9, 59.2
	\$50,000-74,999	34	60.8	45.6, 76
	More than \$75,000	34	49.1	34.6, 63.6
	WEIGHTED PERCENT			
DAILY			44.5	
LESS THAN DAILY			49.4	
NEVER			6	
	WEIGHTED FREQUENCY			
DAILY		896,305		
LESS THAN DAILY		994,879		
NEVER		120,970		
TOTAL IN SAMPLE		456		

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

EATING SALAD

How often do you eat green salad? (A)

	NUMBER IN SAMPLE WHO RESPONDED "DAILY"	WEIGHTED PERCENT	95% CI
TOTAL	110	26.9	21.6, 32.1
GENDER			
Female	76	30.9	23.8, 38
Male	34	22.5	14.8, 30.2
ETHNICITY			
Hispanic	27	30.3	18.5, 42.1
Non-Hispanic	83	25.7	19.9, 31.4
RACE			
Black	39	24.1	15.9, 32.3
White	57	27.6	20.3, 34.9
HOUSEHOLD TYPE			
One adult, no children	30	31.6	21.2, 42
One adult, child/ren	*	*	*
> 1 adult, no children	34	22.3	14.3, 30.2
> 1 adult, child/ren	41	30.9	21.3, 40.5
INCOME			
Less than \$15,000	15	22.1	10.4, 33.7
\$15,000-24,999	20	29	16, 42.1
\$25,000-49,999	25	30.8	18.9, 42.7
\$50,000-74,999	11	19.9	7.3, 32.5
More than \$75,000	22	31	17.9, 44

*Count, percent and 95% CI suppressed because count is 5 or less.

	WEIGHTED PERCENT
DAILY	26.9
LESS THAN DAILY	66.2
NEVER	6.9
	WEIGHTED FREQUENCY
DAILY	541,265
LESS THAN DAILY	1,334,588
NEVER	138,634
TOTAL IN SAMPLE	456

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

EATING VEGETABLES

Not counting carrots, potatoes, or salad, how many servings of vegetables do you usually eat? Example: A serving of vegetables at both lunch and dinner would be two servings. (A)

	WEIGHTED PERCENT	NUMBER IN SAMPLE WHO RESPONDED "DAILY"	WEIGHTED PERCENT	95% CI	
		TOTAL	300	66	60.3, 71.6
		GENDER			
		Female	192	65.4	58, 72.7
		Male	108	66.6	58.1, 75.2
		ETHNICITY			
		Hispanic	47	57.5	44.7, 70.4
		Non-Hispanic	252	69	62.9, 75
		RACE			
		Black	112	63	53.8, 72.3
		White	165	70.7	63.4, 78
		HOUSEHOLD TYPE			
		One adult, no children	84	65	54.7, 75.3
		One adult, child/ren	24	49.3	32.2, 66.4
		> 1 adult, no children	110	71.9	63.5, 80.4
		> 1 adult, child/ren	82	62.5	52.3, 72.8
		INCOME			
		Less than \$15,000	37	50.2	35.2, 65.2
		\$15,000-24,999	44	64.8	52.1, 77.4
		\$25,000-49,999	73	68.1	56.6, 80
		\$50,000-74,999	52	73.2	59, 87.4
		More than \$75,000	56	78.3	66.8, 89.8
		WEIGHTED PERCENT			
DAILY	66				
LESS THAN DAILY	31.5				
NEVER	2.5				
		WEIGHTED FREQUENCY			
DAILY	1,306,270				
LESS THAN DAILY	624,714				
NEVER	49,353				
TOTAL IN SAMPLE	449				

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

ANY PHYSICAL ACTIVITY/EXERCISE

During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO RESPONDED "NO"	WEIGHTED PERCENT	95% CI
YES	69.5	TOTAL	249	30.5	26.6, 34.3
NO	30.5	GENDER			
		Female	165	35.6	30.4, 40.9
		Male	84	24.8	19.3, 30.4
		AGE			
		18-24	24	32	19.5, 44.5
		25-44	89	25.2	19.8, 30.6
		45-64	82	31.1	24.1, 38.1
		65+	54	43.2	32.8, 53.6
		ETHNICITY			
		Hispanic	67	34.7	26.2, 43.2
		Non-Hispanic	182	28.9	24.6, 33.1
		RACE			
		Black	111	24.5	19.6, 29.4
		White	115	38.4	31.6, 45.2
		HOUSEHOLD TYPE			
		One adult, no children	63	29.9	22.9, 36.8
		One adult, child/ren	27	41.4	28.7, 54
		> 1 adult, no children	80	28.9	22.4, 35.3
		> 1 adult, child/ren	79	31	24.3, 37.8
		INCOME			
		Less than \$15,000	43	39.6	27.4, 51.6
		\$15,000-24,999	60	39.3	30, 48.5
		\$25,000-49,999	61	29.6	22.1, 37
		\$50,000-74,999	27	23.6	14.2, 33
		More than \$75,000	10	6	1.8, 10.1
TOTAL IN SAMPLE	897				

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

WORK ACTIVITIES

When you are at work, which of the following best describes what you do? Would you say: mostly sitting or standing, mostly walking, or mostly heavy labor or physically demanding work? (B)

For respondents who were employed.

		NUMBER IN SAMPLE WHO MOSTLY SIT OR STAND AT WORK	WEIGHTED PERCENT	95% CI	
		TOTAL	391	63.9	58.5, 69.4
		GENDER			
		Female	233	74.1	67.8, 64
		Male	158	55.8	47.7, 80.3
		AGE			
		18-24	32	54.6	37.3, 71.9
		25-44	231	65.2	58, 72.3
		45-64	117	66.9	57.4, 76.4
		65+	11	58.4	29.4, 87.5
		ETHNICITY			
		Hispanic	52	44.1	32.1, 56.1
		Non-Hispanic	339	71.4	65.7, 77.2
		RACE			
		Black	241	64.2	56.9, 71.6
		White	119	63.3	53.9, 72.7
		HOUSEHOLD TYPE			
		One adult, no children	133	75.7	67.6, 83.7
		One adult, child/ren	34	70	55.7, 84.3
		> 1 adult, no children	110	61	51.4, 70.5
		> 1 adult, child/ren	114	61.1	51.9, 70.4
		INCOME			
		Less than \$15,000	15	40.1	16.8, 63.4
		\$15,000-24,999	46	46.5	33.3, 59.8
		\$25,000-49,999	116	64.2	54.3, 74.1
		\$50,000-74,999	78	71.1	59.4, 82.8
		More than \$75,000	97	83.4	75.3, 91.6
	WEIGHTED PERCENT				
MOSTLY SITTING/ STANDING	63.9				
MOSTLY WALKING	23.5				
MOSTLY HEAVY LABOR/PHYSICALLY DEMANDING WORK	12.6				
	WEIGHTED FREQUENCY				
MOSTLY SITTING/ STANDING	751,800				
MOSTLY WALKING	276,240				
MOSTLY HEAVY LABOR/PHYSICALLY DEMANDING WORK	148,096				
TOTAL IN SAMPLE	557				

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

FREQUENCY OF SEATBELT USE

How often do you use seatbelts when you drive or ride in a car? Would you say: always, nearly always, sometimes, seldom, or never? (B)

	WEIGHTED PERCENT		NUMBER IN SAMPLE ALWAYS USE SEATBELTS	WEIGHTED PERCENT	95% CI
		TOTAL	347	80.7	75.9, 85.5
		GENDER			
		Female	216	84.4	78.8, 90
		Male	131	76.8	68.9, 84.6
		AGE			
		18-24	35	85.1	73.8, 96.
		25-44	157	76.8	68.4, 85.2
		45-64	106	80.9	73.3, 88.6
		65+	49	87.8	78.7, 96.8
		ETHNICITY			
		Hispanic	82	90	83.2, 96.8
		Non-Hispanic	265	76.9	70.9, 82.9
		RACE			
		Black	110	82.6	75.4, 89.8
		White	215	79.1	72.4, 85.8
		HOUSEHOLD TYPE			
		One adult, no children	121	81.1	74, 88.3
		One adult, child/ren	25	76.9	60, 94
		> 1 adult, no children	101	82.4	74.7, 90
		> 1 adult, child/ren	100	79.2	70.1, 88.3
		INCOME			
		Less than \$15,000	30	79.6	65, 94.1
		\$15,000-24,999	71	81.7	72.6, 90.8
		\$25,000-49,999	100	79.3	68.7, 89.8
		\$50,000-74,999	39	70.2	55.2, 85.3
		More than \$75,000	54	87.3	75.9, 98.6
		WEIGHTED FREQUENCY			
ALWAYS	80.7				
NEARLY ALWAYS	10				
SOMETIMES	5.2				
SELDOM	1.5				
NEVER	2.6				
ALWAYS	1,531,517				
NEARLY ALWAYS	189,633				
SOMETIMES	99,500				
SELDOM	27,920				
NEVER	50,018				
TOTAL IN SAMPLE	435				

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

FIREARMS IN HOME

Are any firearms kept in or around your home? Please include weapons such as pistols, shotguns, and rifles; but not BB guns, starter pistols, or guns that cannot fire. Include those firearms kept in garages, outdoor storage areas, or motor vehicles. (B)

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO DO NOT KEEP FIREARMS IN/AROUND THEIR HOME	WEIGHTED PERCENT	95% CI
YES	11	TOTAL	397	89	84.7, 93.4
NO	89	GENDER			
		Female	240	94.2	90, 98.3
		Male	157	83.6	75.9, 91.2
		AGE			
		18-24	42	94.8	86.1, 100
		25-44	173	87.4	80, 94.8
		45-64	129	90.6	83.4, 97.8
		65+	53	84.7	72.6, 96.8
		ETHNICITY			
		Hispanic	88	94.2	87.7, 100
		Non-Hispanic	309	87	81.5, 92.4
		RACE			
		Black	125	92	86.5, 97.5
		White	245	86.2	79.7, 92.7
		HOUSEHOLD TYPE			
		One adult, no children	140	89.5	82.4, 96.5
		One adult, child/ren	27	85.4	71.1, 99.7
		> 1 adult, no children	118	89.1	81.8, 96.5
		> 1 adult, child/ren	112	89.1	81.4, 96.9
		INCOME			
		Less than \$15,000	40	97.5	93.5, 100
		\$15,000-24,999	81	89	80, 98
		\$25,000-49,999	116	89.7	80, 99.4
		\$50,000-74,999	46	78	63, 93.1
		More than \$75,000	55	81.1	66.5, 95.6
WEIGHTED FREQUENCY					
YES	209,392				
NO	1,698,665				
TOTAL IN SAMPLE	435				

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

FIREARMS LOADED AND UNLOCKED

Are any of these firearms now loaded? (B)

For respondents who keep firearms in or around their home.

	WEIGHTED PERCENT
YES	44.2
NO	55.8

	WEIGHTED FREQUENCY
YES	92,451
NO	116,940
TOTAL IN SAMPLE	38

Are any of these loaded firearms also unlocked? By “unlocked” we mean you do not need a key or combination to get the gun or to fire it. We don’t count a safety as a lock. (B)

For respondents who keep loaded firearms in or around their home.

	WEIGHTED PERCENT
YES	82.8
NO	17.2

	WEIGHTED FREQUENCY
YES	76,516
NO	15,935
TOTAL IN SAMPLE	14

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

FALLS AND INJURIES

The next question asks about a recent fall. By a fall, we mean when a person unintentionally comes to rest on the ground or another lower level. In the past 3 months, have you had a fall? (A)

For respondents 45 years or older.

Were you injured? By injured, we mean the fall caused you to limit your regular activities for at least a day or to go see a doctor (A)

For respondents 45 years or older who fell in the past 3 months.

	WEIGHTED PERCENT		WEIGHTED PERCENT
YES	9.9	YES	41.7
NO	90.1	NO	58.3
			WEIGHTED FREQUENCY
YES	83,695	YES	34,924
NO	760,750	NO	48,771
TOTAL IN SAMPLE	205	TOTAL IN SAMPLE	24

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

SUNBURN

The next question is about sunburns including anytime that even a small part of your skin was red for more than 12 hours. Have you had a sunburn within the past 12 months? (A)

		NUMBER IN SAMPLE WHO RESPONDED "YES"	WEIGHTED PERCENT	95% CI
	TOTAL	104	22.6	17.6, 27.5
	GENDER			
	Female	55	18.7	12.8, 24.6
	Male	49	26.9	18.8, 34.9
	AGE			
	18-24	14	34.4	16.9, 51.8
	25-44	65	29.7	21.8, 37.6
	45-64	19	10.9	4.6, 17.2
	65+	6	11.7	2.3, 21.1
	ETHNICITY			
	Hispanic	14	17.2	7.3, 27.1
	Non-Hispanic	90	24.6	19, 30.3
	RACE			
	Black	9	3.2	0.9, 5.4
	White	93	41.9	33.7, 50
	HOUSEHOLD TYPE			
	One adult, no children	34	22.6	13.9, 31.2
	One adult, child/ren	*	*	*
	> 1 adult, no children	40	27.5	18.9, 36.2
	> 1 adult, child/ren	29	20.1	12, 28.3
	INCOME			
	Less than \$15,000	8	17.2	4.6, 29.8
	\$15,000-24,999	6	5	0, 10.2
	\$25,000-49,999	29	26.6	15.7, 37.5
	\$50,000-74,999	25	30.5	17.3, 43.8
	More than \$75,000	29	50.4	35.9, 64.8

	WEIGHTED PERCENT
YES	22.6
NO	77.4

	WEIGHTED FREQUENCY
YES	453,054
NO	1,554,201
TOTAL IN SAMPLE	456

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

FREQUENCY OF SUNBURNS

Including times when even a small part of your skin was red for more than 12 hours, how many sunburns have you had within the past 12 months? (A)

For respondents who had a sunburn in the past 12 months.

	WEIGHTED PERCENT
ONE	37.1
TWO OR MORE	62.9
	WEIGHTED FREQUENCY
ONE	167,168
TWO OR MORE	282,967
TOTAL IN SAMPLE	103

	NUMBER IN SAMPLE WHO HAD TWO OR MORE SUNBURNS	WEIGHTED PERCENT	95% CI
TOTAL	65	62.9	50.4, 75.3
GENDER			
Female	35	64.3	46.8, 81.8
Male	30	61.7	44.3, 79.2
AGE			
18-24	10	73.1	43.2, 100
25-44	43	64	48, 80
45-64	10	53.9	23.8, 84
65+	*	*	*
ETHNICITY			
Hispanic	8	53.4	21, 85.8
Non-Hispanic	57	65.3	52.4, 78.3
RACE			
Black	*	*	*
White	63	67.4	54.3, 80.6
HOUSEHOLD TYPE			
One adult, no children	24	75.4	58.8, 92.1
One adult, child/ren	*	*	*
> 1 adult, no children	21	50.6	31.8, 69.4
> 1 adult, child/ren	19	72.5	51.1, 93.9
INCOME			
Less than \$15,000	*	*	*
\$15,000-24,999	*	*	*
\$25,000-49,999	21	70.1	45.4, 94.9
\$50,000-74,999	16	72.5	53.7, 91.3
More than \$75,000	18	67.9	47.4, 88.4

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.